

# 2019

## South Carolina County-Level Profiles on Substance Use-Related Indicators



*Prepared by*

State Epidemiological Outcomes Workgroup (SEOW)

The *South Carolina County-Level Profiles on Substance Use-Related Indicators* was developed as part of ongoing efforts by the State Epidemiological Outcomes Workgroup (SEOW) to generate user-friendly data reports related to substance misuse prevention. This report is intended to shed light on the social, economic, and civic conditions in South Carolina that are associated with substance use/misuse. Data from all 46 counties in South Carolina are included in these analyses, providing a picture of the conditions that put communities at risk for substance misuse and other related behavioral health issues. The SEOW and DAODAS determined which indicators to display, obtained the data from state and national sources, compiled and analyzed the data, and generated the charts.

### *SEOW Mission*

The mission of the SEOW is to create comprehensive substance use-related data products that will support and enhance data-driven efforts at the local and state levels to reduce substance misuse among South Carolinians. Additionally, the SEOW provides guidance to DAODAS in its decision-making process regarding the selection and implementation of prevention services to best assist the populations in need across the state.

*This document was made possible by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS) and the Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration (CSAP-SAMHSA).*

# OVERVIEW

The annual county profiles continue to shed light on substance use/misuse problems in counties across the state. In order to provide a comprehensive view of the problems related to substance use, the profiles consider many of the determinants of substance use that the scientific literature identifies as relevant in influencing substance use. Determinants of substance use include social, economic, and access to health-related resources as factors that can affect substance use. In addition, the report provides statistics on different types of substance use, infectious diseases, and treatment services at the county level.

This information can help local and state prevention directors, local and state officials, and the public health community identify gaps and implement relevant strategies, policies, and interventions to address problems related to substance use. Additionally, researchers can use profiles as foundational information for their substance use research work. The profiles can also be used by South Carolinians to better inform themselves about substance use/misuse in their counties and across the state.

The profile is divided into two main sections:

- Section I focuses on county-level determinants of substance use.
- Section II focuses on county-level substance use.

# ACKNOWLEDGEMENTS

The 2019 county-level profiles are a collective effort of the South Carolina SEOW and individuals from state agencies and organizations. The member organizations of the SEOW are:

S.C. Department of Alcohol and Other Drug Abuse Services

S.C. Department of Health and Environmental Control

Children's Trust of South Carolina

S.C. Department of Mental Health

S.C. Fact Forward

S.C. First Steps

S.C. Hospital Association

S.C. Tobacco-Free Collaborative

S.C. Revenue and Fiscal Affairs Office

S.C. Law Enforcement Division

The Wandersman Center

Mothers Against Drunk Driving

S.C. Department of Public Safety

S.C. Department of Juvenile Justice

S.C. Department of Social Services

S.C. Department of Health and Human Services

S.C. Department of Corrections

Pacific Institute for Research and Evaluation

# TABLE OF CONTENTS

I. County Profiles on Determinants of Substance Use .....	1
Social Factors Ranking by County	
(i) Domain Rank .....	2
(ii) Child Maltreatment.....	3
(iii) Social Associations .....	4
(iv) Single-Parent Home .....	5
(v) Crime Index.....	6
Economic Factors Ranking by County	
(i) Domain Rank .....	7
(ii) Income Inequality .....	8
(iii) Unemployment Rate.....	9
(iv) Children in Poverty.....	10
(v) 4-Year High School Graduation Rate .....	11
Access to Health-Related Resources Ranking by County	
(i) Domain Rank .....	12
(ii) Uninsured.....	13
(iii) Food Insecurity.....	14
(iv) Primary Care Physician Ratio .....	15
(v) Mental Health Provider Ratio .....	16
II. County Profiles on Substance Use .....	17
Abbeville .....	19
Aiken .....	20
Allendale .....	21
Anderson.....	22
Bamberg.....	23

Barnwell .....	24
Beaufort .....	25
Berkeley .....	26
Calhoun .....	27
Charleston .....	28
Cherokee .....	29
Chester .....	30
Chesterfield .....	31
Clarendon .....	32
Colleton .....	33
Darlington .....	34
Dillon .....	35
Dorchester .....	36
Edgefield .....	37
Fairfield .....	38
Florence .....	39
Georgetown .....	40
Greenville .....	41
Greenwood .....	42
Hampton .....	43
Horry .....	44
Jasper .....	45
Kershaw .....	46
Lancaster .....	47
Laurens .....	48
Lee .....	49
Lexington .....	50
Marion .....	51
Marlboro .....	52
McCormick .....	53
Newberry .....	54

Oconee .....	55
Orangeburg .....	56
Pickens .....	57
Richland.....	58
Saluda.....	59
Spartanburg .....	60
Sumter.....	61
Union.....	62
Williamsburg .....	63
York .....	64
Data Sources.....	65

# SECTION I: COUNTY PROFILES ON DETERMINANTS OF SUBSTANCE USE

This section has 3 domains, with 4 measures within each domain:

- **Social Factors**
  - Child Maltreatment
  - Single-Parent Home
  - Social Associations
  - Crime Index
- **Economic Factors**
  - Income Inequality
  - Unemployment
  - Children in Poverty
  - High School Graduation
- **Access to Health-Related Resources**
  - Uninsured
  - Food Insecurity
  - Primary Care Physicians Ratio
  - Mental Health Providers Ratio

## Analysis

The first step in the analysis was to rank counties for all measures under each domain from best (1) to worst (46 or an equivalent rank if a tie occurs). Next, the ranks under each domain were summed up and divided by 4 (number of measures) to arrive at the domain rank. The latest year of available data was used to rank counties under each measure. Counties having identical values under a measure were given a tied ranking. Measure values were rounded to the tenth decimal place when appropriate.

Information in in this section is presented using tables and maps. The domain rank is presented in a table, while measures under each domain are presented using maps.

## SOCIAL FACTORS RANKING BY COUNTY

The table below shows the overall domain rankings compiled at the county level. The overall domain ranking is an average of the ranks of the four identified indicators: Child Maltreatment, Single-Parent Home, Social Associations, and Crime Index. Child maltreatment – generally recognized as physical abuse, sexual abuse, emotional abuse, and neglect – increases the risk of substance abuse later in life. The crime index serves as a measure of safety in the community. A single-parent home is a risk factor for adverse health outcomes, including substance use and mental illness among children and adults. Social associations can serve as a predictor of social isolation, which has been associated with increased morbidity, early mortality, and other health risks.

County	Ranking
Saluda	1
Bamberg	2
Lancaster*	3
Oconee*	3
Edgefield	4
Pickens	5
York	6
Anderson	7
Greenville	8
Georgetown	9
Cherokee	10
Aiken	11
Newberry	12
Berkeley	13
Laurens	14
Kershaw	15
Lexington	16
Calhoun	17
Abbeville	18
Richland*	20
Spartanburg*	20
Fairfield	21
Florence	22

County	Ranking
Jasper*	24
Barnwell*	24
Beaufort*	24
Chester*	24
Colleton*	28
Horry*	28
Dorchester	30
Chesterfield	31
Sumter	32
Union	33
Charleston	34
Lee*	35
Greenwood*	35
Marion*	35
Darlington	38
Orangeburg	39
Clarendon	40
McCormick	41
Allendale	42
Marlboro*	43
Hampton*	43
Dillon	45
Williamsburg	46


Notes:

1. \*Counties with a tie in the ranking.
2. Ranking is in the order from best (1) to worst (46).



# SOCIAL FACTORS: CHILD MALTREATMENT RANKING BY COUNTY

The map below shows the county rankings for Child Maltreatment, one of the four indicators under the Social Factors domain. Child Maltreatment is the total number of founded investigations for child abuse and neglect. Several top-ranked (1<sup>st</sup>-8<sup>th</sup>) counties for this indicator ranked substantially worse (20<sup>th</sup>-35<sup>th</sup>) in the overall domain rankings. These counties include Colleton, Fairfield, Richland, Florence, Jasper, Barnwell, and Lee. Inversely, some of the lower-ranked (15<sup>th</sup>-35<sup>th</sup>) counties that ranked noticeably better (3<sup>rd</sup>-8<sup>th</sup>) under the overall domain rankings include Lancaster, Anderson, Greenville, York, Pickens, and Oconee.




**Notes:**

1. There are ties in the ranking.
2. Data Source: South Carolina Department of Social Services (data from: SFY 2017-2018).

# SOCIAL FACTORS: SOCIAL ASSOCIATIONS RANKING BY COUNTY

The map below shows the county rankings for Social Associations, one of the four indicators under the Social Factors domain. Social Associations measures the number of membership associations per 10,000. Several top-ranked counties (1<sup>st</sup>-9<sup>th</sup>) for this indicator rank substantially worse (17<sup>th</sup>-39<sup>th</sup>) in the overall domain rankings. These counties include Union, Barnwell, Chester, Calhoun, Greenwood, and Orangeburg. Inversely, some of the lower-ranked (12<sup>th</sup>-29<sup>th</sup>) counties that rank noticeably better (1<sup>st</sup>-8<sup>th</sup>) under the overall domain rankings include Saluda, Pickens, Edgefield, Greenville, and York.




**Notes:**

- 1. There are ties in the ranking.
- 2. Data Source: 2019 County Health Rankings, South Carolina (data from: 2016)

# SOCIAL FACTORS: SINGLE-PARENT HOME RANKING BY COUNTY

The map below shows the county rankings for Single-Parent Home, one of the four indicators under the Social Factors domain. Single-Parent Home represents the percentage of children (18 years and younger) living in households that are headed by a single parent. Several top-ranked counties (1<sup>st</sup>-10<sup>th</sup>) for this indicator ranked substantially worse (13<sup>th</sup>-30<sup>th</sup>) in the overall domain rankings. These counties include Lexington, Berkeley, Dorchester, Beaufort, Abbeville, and Spartanburg. Inversely, four of the lower-ranked counties (Lancaster-17<sup>th</sup>, Edgefield-24<sup>th</sup>, Bamberg and Georgetown tied at 28<sup>th</sup>) were among the top 10 under overall domain rankings (Bamberg-2<sup>nd</sup>, Lancaster-3<sup>rd</sup>, Edgefield-4<sup>th</sup>, and Georgetown-9<sup>th</sup>).




Notes:

1. There are ties in the ranking.
2. Data Source: 2019 County Health Rankings, South Carolina (data from: 2013-2017)



# SOCIAL FACTORS: CRIME INDEX RANKING BY COUNTY

The map below shows the county rankings for Crime Index, one of the four indicators under the Social Factors domain. Crime Index is made up of violent crimes (murder, sexual battery, robbery, aggravated assault) and property crimes (breaking and entering, motor vehicle theft, larceny, arson). Berkeley, Dorchester, Jasper, Marion, and Kershaw counties – ranked 5<sup>th</sup>, 7<sup>th</sup>, 8<sup>th</sup>, 10<sup>th</sup>, and 11<sup>th</sup> for this indicator – ranked substantially worse in the overall domain rankings at 13<sup>th</sup>, 30<sup>th</sup>, 24<sup>th</sup>, 35<sup>th</sup>, and 15<sup>th</sup>, respectively. Inversely, Georgetown, Greenville, and Anderson counties ranked substantially better (9<sup>th</sup>, 8<sup>th</sup>, and 7<sup>th</sup>) under the overall domain rankings compared to where they ranked for this indicator (20<sup>th</sup>, 23<sup>rd</sup>, and 24<sup>th</sup>, respectively).



**Notes:**

1. There is one tie in the ranking.
2. Data Source: South Carolina Law Enforcement Division (data from: 2018)

## ECONOMIC FACTORS RANKING BY COUNTY

The table below shows the overall domain rankings compiled at the county level. The overall domain ranking is an average of the ranks of the four identified indicators: Income Inequality, Unemployment Rate, Children in Poverty, and 4-year High School Graduation Rate. Income inequality can have broad health impacts, including higher risk for mortality and poor health. High unemployment rate has been associated with increases in unhealthy behaviors, and it also limits access to healthcare. Children in poverty can serve as a predictor of current and future health risks. The high school graduation rate is a widely used predictor of healthy behavior, as higher educational levels have been found to be associated with better overall health.

County	Ranking
Lexington	1
Dorchester	2
York	3
Berkeley	4
Anderson	5
Aiken	6
Greenville	7
Oconee	8
Kershaw*	9
Spartanburg*	9
Beaufort*	11
Pickens*	11
Chesterfield	13
Hampton	14
Lancaster	15
Newberry	16
Jasper	17
Abbeville*	18
Edgefield*	18
Saluda*	18
Richland	21
Charleston*	22
Florence*	22


County	Ranking
Colleton*	24
Laurens*	24
Marion	26
Georgetown	27
Cherokee*	28
Darlington*	28
Horry*	28
Sumter	31
Calhoun	32
Greenwood	33
Fairfield	34
Union	35
McCormick	36
Chester	37
Dillon	38
Lee	39
Barnwell	40
Orangeburg	41
Williamsburg	42
Clarendon	43
Marlboro	44
Bamberg	45
Allendale	46

Notes:

1. \*Counties with a tie in the ranking.
2. Ranking is in the order from best (1) to worst (46).

## ECONOMIC FACTORS: INCOME INEQUALITY RANKING BY COUNTY

The map below shows the county rankings for Income Inequality, one of the four indicators under the Economic Factors domain. Income Inequality is the ratio of the number of household incomes at the 80<sup>th</sup> percentile to number of household incomes at the 20<sup>th</sup> percentile. A higher ratio indicates greater division between the top and bottom household incomes. Several top-ranked (2<sup>nd</sup>-9<sup>th</sup>) counties for this indicator rank worse (14<sup>th</sup>-28<sup>th</sup>) in the overall domain ranking. These counties include Hampton, Jasper, Horry, Colleton, Marion, and Laurens. Inversely, five of the near-average ranked (13<sup>th</sup>-15<sup>th</sup>) counties that ranked noticeably better (3<sup>rd</sup>-8<sup>th</sup>) under the overall domain rankings include York, Anderson, Oconee, Aiken, and Greenville.




Notes:

1. There are ties in the ranking.
2. Data Source: 2019 County Health Rankings, South Carolina (data from: 2013-2017)

# ECONOMIC FACTORS: UNEMPLOYMENT RATE RANKING BY COUNTY

The map below shows the county rankings for Unemployment Rate, one of the four indicators under the Economic Factors domain. Unemployment Rate is the percentage of the population (16 years and older) that are seeking work but are currently unemployed. Some of the top-ranked counties (Charleston-1<sup>st</sup>, Jasper-4<sup>th</sup>, Saluda and Newberry tied for 7<sup>th</sup>) for unemployment rate were ranked worse in the overall domain rankings (Charleston-22<sup>nd</sup>, Jasper-17<sup>th</sup>, Saluda-18<sup>th</sup>, and Newberry-16<sup>th</sup>). Inversely, Kershaw County ranked noticeably better (9<sup>th</sup>) under the domain when compared to its lower rank (18<sup>th</sup>) for unemployment rate.




Notes:

1. There are ties in the ranking.
2. Data Source: United States Department of Labor (data from: 2018)



# ECONOMIC FACTORS: CHILDREN IN POVERTY RANKING BY COUNTY

The map below shows the county rankings for Children in Poverty, one of the four indicators under the Economic Factors domain. Children in Poverty is the percentage of population (18 years and younger) that are living in poverty. Lancaster County ranked 8<sup>th</sup> for this indicator; however, its overall domain ranking is relatively worse at 15<sup>th</sup>. Similarly, Richland and Charleston counties both ranked 10<sup>th</sup> (tied) for this indicator, but under the domain, they are ranked noticeably worse at 21<sup>st</sup> and 22<sup>nd</sup>, respectively.




**Notes:**

1. There are ties in the ranking.
2. Data Source: 2019 County Health Rankings, South Carolina (data from: 2016)



# ECONOMIC FACTORS: 4-YEAR HIGH SCHOOL GRADUATION RATE RANKING BY COUNTY

The map below shows the county rankings for 4-Year High School Graduation Rate, one of the four indicators under the Economic Factors domain. 4-Year High School Graduation Rate is the percentage of the ninth-grade cohort that graduates within four years. Several top-ranked (1<sup>st</sup>-10<sup>th</sup>) counties for this indicator rank substantially worse (18<sup>th</sup>-38<sup>th</sup>) in the overall domain rankings. These counties include Darlington, Fairfield, Georgetown, Calhoun, Edgefield, and Dillon. Inversely, a similar number of lower-ranked (19<sup>th</sup>-46<sup>th</sup>) counties that rank noticeably better (1<sup>st</sup>-11<sup>th</sup>) under the domain include Oconee, Berkeley, Kershaw, Pickens, Greenville, Spartanburg, and Beaufort.



Notes:

1. There are ties in the ranking.
2. Data Source: South Carolina Department of Education (data from: 2017)

# ACCESS TO HEALTH-RELATED RESOURCES RANKING BY COUNTY

The table below shows the overall domain rankings compiled at the county level. The overall rankings are an average of the ranks of the four identified indicators: Uninsured, Food Insecurity, Primary Care Physician Ratio, and Mental Health Provider Ratio. The uninsured population faces significant barriers to accessing needed healthcare, which can have serious health consequences as a result of delayed care. Food insecurity measures healthy eating and adequate access to a constant food supply, lack of which has been related to negative health outcomes. Primary care physicians are essential for providing preventative care and referrals to specialty care when needed. Mental health providers are crucial in providing care for behavioral health issues.

County	Ranking
Lexington	1
Greenville	2
Anderson	3
Richland	4
Florence	5
York	6
Charleston	7
Dorchester	8
Kershaw	9
Beaufort	10
Greenwood	11
Spartanburg	12
Aiken	13
Pickens	14
Berkeley*	15
Horry*	15
Allendale	17
Lancaster*	18
Sumter*	18
Laurens	20
Union	21
McCormick	22
Darlington	23


County	Ranking
Oconee	24
Barnwell	25
Abbeville	26
Newberry	27
Georgetown*	28
Cherokee*	28
Orangeburg	30
Colleton	31
Hampton	32
Fairfield	33
Chesterfield*	34
Dillon*	34
Edgefield	36
Marion	37
Williamsburg	38
Chester	39
Lee	40
Saluda	41
Calhoun	41
Marlboro	44
Jasper	45
Clarendon	45
Bamberg	46

Notes:

1. \*Counties with a tie in the ranking
2. Rank is the order from best (1) to worst (46).

## ACCESS TO HEALTH-RELATED RESOURCES: UNINSURED RANKING BY COUNTY

The map below shows the county rankings for Uninsured, one of the four indicators under the Access to Health-Related Resources domain. Uninsured is the percentage of the population (65 years and younger) that do not currently have health insurance. Several top-ranked counties (Lancaster-3<sup>rd</sup>, Barnwell-6<sup>th</sup>, and McCormick, Berkeley, and Allendale (tied for 7<sup>th</sup>) for this indicator all ranked noticeably worse when looking at their overall domain rankings at 18<sup>th</sup>, 25<sup>th</sup>, 22<sup>nd</sup>, 15<sup>th</sup>, and 17<sup>th</sup>, respectively. Inversely, Kershaw, Greenville, and Charleston ranked 14<sup>th</sup>, 23<sup>rd</sup>, and 24<sup>th</sup>, all ranking in the top 10 for overall domain rankings at 9<sup>th</sup>, 2<sup>nd</sup>, and 7<sup>th</sup>, respectively.




**Notes:**

1. There are ties in the ranking.
2. Data Source: 2019 County Health Rankings, South Carolina (data from 2016)

## ACCESS TO HEALTH-RELATED RESOURCES: FOOD INSECURITY RANKING BY COUNTY

The map below shows the county rankings for Food Insecurity, one of the four indicators under the Access to Health-Related Resources domain. Food Insecurity estimates the percentage of the population that did not have access to a reliable food source during the past year. Several top-ranked counties for Food Insecurity (Oconee-3<sup>rd</sup>, Pickens, Berkeley, Horry, and Saluda all tied for 6<sup>th</sup>) were ranked noticeably worse in the overall domain rankings (Oconee-24<sup>th</sup>, Pickens-14<sup>th</sup>, Berkeley and Horry tied for 15<sup>th</sup>, Saluda-41<sup>st</sup>). Inversely, three of the lower-ranked counties (Charleston-16<sup>th</sup>, Richland and Florence tied at 27<sup>th</sup>) were among the top 10 under overall domain rankings (Charleston-7<sup>th</sup>, Richland-4<sup>th</sup>, and Florence-5<sup>th</sup>).




**Notes:**

1. There are ties in the ranking.
2. Data Source: 2019 County Health Rankings, South Carolina (data from 2016)



# ACCESS TO HEALTH-RELATED RESOURCES: PRIMARY CARE PHYSICIAN RATIO RANKING BY COUNTY

The map below shows the county rankings for Primary Care Physician Ratio, one of the four indicators under the Access to Health-Related Resources domain. Primary Care Physician Ratio is the ratio of population per one primary care physician. Allendale, Newberry, and Georgetown counties rank much better (6<sup>th</sup>, 10<sup>th</sup>, and 11<sup>th</sup>) under this indicator when compared to their overall domain rankings at 17<sup>th</sup>, 27<sup>th</sup>, and 28<sup>th</sup>, respectively. Inversely, Lexington, Kershaw, York, and Dorchester counties rank much worse (13<sup>th</sup>, 15<sup>th</sup>, 25<sup>th</sup>, and 30<sup>th</sup>) under this indicator when compared to their overall domain rankings at 1<sup>st</sup>, 9<sup>th</sup>, 6<sup>th</sup>, and 8<sup>th</sup>, respectively.




**Notes:**

1. There are no ties in the ranking.
2. Data Source: 2019 County Health Rankings, South Carolina (data from 2016)

# ACCESS TO HEALTH-RELATED RESOURCES: MENTAL HEALTH PROVIDER RATIO RANKING BY COUNTY

The map below shows the county rankings for Mental Health Provider Ratio, one of the four indicators under the Access to Health-Related Resources domain. Mental Health Provider Ratio is the ratio of the population per one mental health provider. McCormick, Orangeburg, and Barnwell counties ranked 5<sup>th</sup>, 10<sup>th</sup>, and 12<sup>th</sup> under this indicator, which is noticeably better than their overall domain rankings at 22<sup>nd</sup>, 30<sup>th</sup>, and 25<sup>th</sup>, respectively. Inversely, Dorchester and Kershaw ranked 16<sup>th</sup> and 20<sup>th</sup>, which is either double or more than their overall domain rankings at 8<sup>th</sup> and 9<sup>th</sup>, respectively.



**Notes:**

1. There are no ties in the ranking.
2. Data Source: 2019 County Health Rankings, South Carolina (data from 2016)

## SECTION II: COUNTY PROFILES ON SUBSTANCE USE

This section has 5 domains, with 4 measures within each domain:

- **Alcohol**
  - Binge Drinking Among Adults in Past 30 Days (*Percentage*)
  - Heavy Drinking Among Adults in Past 30 Days (*Percentage*)
  - Alcohol-Involved Fatal Traffic Crashes (*Count*)
  - Abuse/Dependence-Related Inpatient and Emergency Hospitalization (*Count*)
- **Nicotine**
  - Current Cigarette Use Among Adults (*Percentage*)
  - Current Smokeless Use Among Adults (*Percentage*)
  - FDA Compliance Check Inspections of Tobacco Retailers Failed (*Percentage*)
  - Abuse/Dependence-Related Inpatient and Emergency Hospitalization (*Count*)
- **Opioids** (*Rate per 100,000*)
  - EMS Naloxone Administrations
  - Opioid Prescriptions Dispensed
  - Mortality from Overdose
  - Abuse/Dependence-Related Inpatient and Emergency Hospitalization
- **Infectious Diseases** (*Number of new cases per 100,000*)
  - HIV
  - Hepatitis C
  - Chlamydia
  - Gonorrhea
- **Treatment Services** (*Number of people treated at State-funded treatment centers*)
  - Alcohol
  - Nicotine
  - Opiates
  - Marijuana

### Analysis

The first step in the analysis was to rank the counties for all measures from best/lowest value or rate (1) to worst/highest value or rate (46 or an equivalent rank if a tie occurs). Next, the ranks under each domain were summed up and divided by 4 (number of measures) to arrive at the domain rank. Finally, counties were ranked overall by adding the domain ranks and dividing the total by the number of domains. The “**County Status Change**” category for the first 4 substance-related domains indicated whether the county was improving (decrease in value or rate) or worsening (increase in value or rate) compared to the previous years’ data. The “County Status Change” category for the fifth domain (Treatment Services), however, was noted as “increased” or “decreased.” This is because – while an increase in treatment utilization may potentially signify an increase/decrease in substance use in that county – it may also signify that more people who needed treatment (but had not received it in the past) are now receiving the needed

services. Also of note is that a percent or status change of “N/A” signifies that the value/rate for that indicator was ‘0’ for either the the most recent year or the previous year in which that data was available.

As an example of interpreting the data, there were 93,305 opioids dispensed per 100,000 residents in Abbeville County, which is a 9.8% improvement from the previous year for a current ranking of 33.



# ABBEVILLE

OVERALL RANK - 15						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 13	Binge Drinking Among Adults	25	16	14	+58.8	Worsened
	Heavy Use of Alcohol Among Adults	21	6	5	+113	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	1	-75	Improved
	Alcohol-Related Hospitalizations	11	50,423	257	+25.4	Worsened
<b>NICOTINE</b>  Domain Rank 23	Cigarette Use Among Adults	10	19	15	-27.4	Improved
	Smokeless Tobacco Use Among Adults	42	4	7	0	No Change
	FDA Checks Failed (state total/county rate)	35	2,670	20	N/A	N/A
	Nicotine-Related Hospitalizations	15	433,992	2,742	-20.9	Improved
<b>OPIOID</b>  Domain Rank 28	EMS Naloxone Administrations	40	124	183	+2.2	Worsened
	Opioid Prescriptions Dispensed	33	73,098	93,305	-9.8	Improved
	Opioid-Involved Overdose Deaths	13	17	4	-84.1	Improved
	Opioid-Related Hospitalizations	12	130	100	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 11	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	18	127	106	+45.2	Worsened
	Chlamydia Incidence	15	681	591	-5.2	Improved
	Gonorrhea Incidence	25	277	283	+22.8	Worsened
<b>TREATMENT SERVICES***</b>  Domain Rank 16	Alcohol	26	19,984	548	-7.1	Decreased
	Nicotine	10	9,636	440	+6.3	Increased
	Marijuana	24	16,960	457	-1	Decreased
	Opiates	19	6,945	118	+ 4.4	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\* Treatment figures include all the counties served by Cornerstone (Abbeville, Edgefield, Greenwood, McCormick).

# AIKEN

OVERALL RANK - 32						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 13	Binge Drinking Among Adults	32	16	15	+10.1	Worsened
	Heavy Use of Alcohol Among Adults	34	6	7	+16.7	Worsened
	Alcohol-Involved Fatal Traffic Crashes	35	656	21	+10.5	Worsened
	Alcohol-Related Hospitalizations	30	50,423	900	-9.5	Improved
<b>NICOTINE</b>  Domain Rank 23	Cigarette Use Among Adults	17	19	18	-11.8	Improved
	Smokeless Tobacco Use Among Adults	30	4	5	0	No Change
	FDA Checks Failed (state total/county rate)	25	2,670	12	+140	Worsened
	Nicotine-Related Hospitalizations	30	433,992	8,413	-8.33	Improved
<b>OPIOID</b>  Domain Rank 28	EMS Naloxone Administrations	32	124	117	+1.7	Worsened
	Opioid Prescriptions Dispensed	13	73,098	68,775	-15.7	Improved
	Opioid-Involved Overdose Deaths	30	17	16	-20.2	Improved
	Opioid-Related Hospitalizations	5	130	60	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 11	HIV Incidence	27	15	14	+27.3	Worsened
	Hepatitis C Incidence	5	127	71	+1.4	Worsened
	Chlamydia Incidence	20	681	634	+16.4	Worsened
	Gonorrhea Incidence	26	277	287	+13.5	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 16	Alcohol	33	19,984	121	+42.4	Increased
	Nicotine	37	9,636	68	+58.1	Increased
	Marijuana	31	16,960	86	+43.3	Increased
	Opiates	27	6,945	11	+120	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# ALLENDALE

OVERALL RANK - 2						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PRECENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 1	Binge Drinking Among Adults	1	16	**	N/A	N/A
	Heavy Use of Alcohol Among Adults	1	6	**	N/A	N/A
	Alcohol-Involved Fatal Traffic Crashes	2	656	1	0.0	No Change
	Alcohol-Related Hospitalizations	2	50,423	81	-12.9	Improved
<b>NICOTINE</b>  Domain Rank 1	Cigarette Use Among Adults	1	19	**	N/A	N/A
	Smokeless Tobacco Use Among Adults	1	4	**	N/A	N/A
	FDA Checks Failed (state total/county rate)	1	2,670	0	N/A	N/A
	Nicotine-Related Hospitalizations	1	433,992	181	-40.7	Improved
<b>OPIOID</b>  Domain Rank 6	EMS Naloxone Administrations	28	124	112	-8.2	Improved
	Opioid Prescriptions Dispensed	15	73,098	72,313	-13.6	Improved
	Opioid-Involved Overdose Deaths	1	17	0	0	No Change
	Opioid-Related Hospitalizations	1	130	20	-77.8	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 30	HIV Incidence	1	15	***	N/A	N/A
	Hepatitis C Incidence	9	127	79	+100	Worsened
	Chlamydia Incidence	46	681	1311	-10.6	Improved
	Gonorrhea Incidence	45	277	555	+21.9	Worsened
<b>TREATMENT SERVICES****</b>  Domain Rank 2	Alcohol	4	19,984	121	+42.4	Increased
	Nicotine	15	9,636	68	+58.1	Increased
	Marijuana	1	16,960	86	+43	Increased
	Opiates	1	6,945	11	+120	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were fewer than 200 respondents in the county.

\*\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\*\* Treatment figures include Allendale, Hampton, and Jasper counties, all served by the same agency.

# ANDERSON

OVERALL RANK - 43						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 35	Binge Drinking Among Adults	20	16	13	+ 14.4	Worsened
	Heavy Use of Alcohol Among Adults	20	6	5	0	No Change
	Alcohol-Involved Fatal Traffic Crashes	41	656	34	+ 25.9	Worsened
	Alcohol-Related Hospitalizations	37	50,423	1,722	- 6.4	Improved
<b>NICOTINE</b>  Domain Rank 44	Cigarette Use Among Adults	25	19	21	+ 7.2	Worsened
	Smokeless Tobacco Use Among Adults	35	4	6	0	No change
	FDA Checks Failed (state total/county rate)	41	2,670	25	+ 92.3	Worsened
	Nicotine-Related Hospitalizations	42	433,992	24,597	+ 17.89	Worsened
<b>OPIOID</b>  Domain Rank 30	EMS Naloxone Administrations	33	124	119	- 22.2	Improved
	Opioid Prescriptions Dispensed	34	73,098	93,574	- 9.1	Improved
	Opioid-Involved Overdose Deaths	16	17	7	- 43.3	Improved
	Opioid-Related Hospitalizations	13	130	110	+ 22.2	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 29	HIV Incidence	17	15	6	- 25.0	Improved
	Hepatitis C Incidence	25	127	121	+ 10	Worsened
	Chlamydia Incidence	19	681	623	+ 13.6	Worsened
	Gonorrhea Incidence	32	277	337	+ 29.1	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 37	Alcohol	38	19,984	926	-21.7	Decreased
	Nicotine	41	9,636	881	-10.7	Decreased
	Marijuana	38	16,960	835	-19	Decreased
	Opiates	33	6,945	188	-21.7	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include both counties served by Anderson/Oconee Behavioral Health Services.

# BAMBERG

OVERALL RANK - 5						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank <b>3</b>	Binge Drinking Among Adults	1	16	**	N/A	N/A
	Heavy Use of Alcohol Among Adults	1	6	**	N/A	N/A
	Alcohol-Involved Fatal Traffic Crashes	2	656	1	-75	Improved
	Alcohol-Related Hospitalizations	6	50,423	139	+14.9	Worsened
<b>NICOTINE</b>  Domain Rank <b>3</b>	Cigarette Use Among Adults	1	19	**	N/A	N/A
	Smokeless Tobacco Use Among Adults	1	4	**	N/A	N/A
	FDA Checks Failed (state total/county rate)	20	2,670	10	+66.7	Worsened
	Nicotine-Related Hospitalizations	4	433,992	633	-9.7	Improved
<b>OPIOID</b>  Domain Rank <b>3</b>	EMS Naloxone Administrations	5	124	63	+28.6	Worsened
	Opioid Prescriptions Dispensed	22	73,098	80,294	-12.5	Improved
	Opioid-Involved Overdose Death	1	17	0	0	No Change
	Opioid-Related Hospitalization	2	130	30	-40	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank <b>17</b>	HIV Incidence	1	15	***	N/A	N/A
	Hepatitis C Incidence	3	127	63	-8.7	Improved
	Chlamydia Incidence	41	681	1022	+15.8	Worsened
	Gonorrhea Incidence	30	277	313	+21.6	Worsened
<b>TREATMENT SERVICES****</b>  Domain Rank <b>31</b>	Alcohol	30	19,984	537	+3.7	Increased
	Nicotine	34	9,636	414	+7	Increased
	Marijuana	32	16,960	498	+4	Increased
	Opiates	20	6,945	116	+6.5	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were fewer than 200 respondents in the county.

\*\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\*\* Treatment figures include Bamberg, Calhoun, and Orangeburg counties, which are served by the same agency.

# BARNWELL

OVERALL RANK - 3						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 21	Binge Drinking Among Adults	41	16	18	+100	Worsened
	Heavy Use of Alcohol Among Adults	25	6	6	+93.1	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	7	+40	Worsened
	Alcohol-Related Hospitalizations	8	50,423	190	+22.6	Worsened
<b>NICOTINE</b>  Domain Rank 4	Cigarette Use Among Adults	13	19	16	-31.9	Improved
	Smokeless Tobacco Use Among Adults	12	4	2	0	No Change
	FDA Checks Failed (state total/county rate)	5	2,670	4	+100	Worsened
	Nicotine-Related Hospitalizations	9	433,992	1203	-7.3	Improved
<b>OPIOID</b>  Domain Rank 16	EMS Naloxone Administrations	21	124	95	-57.8	Improved
	Opioid Prescriptions Dispensed	30	73,098	88,859	-13.6	Improved
	Opioid-Involved Overdose Deaths	14	17	6	-62	Improved
	Opioid-Related Hospitalizations	10	130	80	-38.5	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	7	127	76	+1.3	Worsened
	Chlamydia Incidence	31	681	740	-5.4	Improved
	Gonorrhea Incidence	20	277	258	+14.6	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 1	Alcohol	1	19,984	80	-72.8	Decreased
	Nicotine	2	9,636	18	-80.2	Decreased
	Marijuana	4	16,960	87	-63	Decreased
	Opiates	5	6,945	28	-50	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

# BEAUFORT

OVERALL RANK - 13						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 43	Binge Drinking Among Adults	44	16	19	+11.6	Worsened
	Heavy Use of Alcohol Among Adults	46	6	12	+5.3	Worsened
	Alcohol-Involved Fatal Traffic Crashes	33	656	18	+38.5	Worsened
	Alcohol-Related Hospitalizations	36	50,423	1,688	+2.4	Worsened
<b>NICOTINE</b>  Domain Rank 12	Cigarette Use Among Adults	9	19	14	-6	Improved
	Smokeless Tobacco Use Among Adults	25	4	4	0.0	No Change
	FDA Checks Failed (state total/county rate)	23	2,670	11	-54.2	Improved
	Nicotine-Related Hospitalizations	26	433,992	6,801	-12.4	Improved
<b>OPIOID</b>  Domain Rank 4	EMS Naloxone Administrations	3	124	52	-16.1	Improved
	Opioid Prescriptions Dispensed	2	73,098	49,910	-19.9	Improved
	Opioid-Involved Overdose Deaths	20	17	9	-20.7	Improved
	Opioid-Related Hospitalizations	11	130	90	-35.7	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 3	HIV Incidence	21	15	9	+12.5	Worsened
	Hepatitis C Incidence	5	127	72	-22.6	Improved
	Chlamydia Incidence	5	681	472	+8.9	Worsened
	Gonorrhea Incidence	4	277	146	+20.3	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 29	Alcohol	35	19,984	686	+16.7	Increased
	Nicotine	19	9,636	77	+32.8	Increased
	Marijuana	29	16,960	428	+10	Increased
	Opiates	17	6,945	87	+42.6	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# BERKELEY

OVERALL RANK - 22						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 42	Binge Drinking Among Adults	42	16	19	+56.7	Worsened
	Heavy Use of Alcohol Among Adults	39	6	8	+58	Worsened
	Alcohol-Involved Fatal Traffic Crashes	37	656	23	-4.2	Improved
	Alcohol-Related Hospitalizations	40	50,423	2,083	+8.8	Worsened
<b>NICOTINE</b>  Domain Rank 27	Cigarette Use Among Adults	23	19	20	+9.4	Worsened
	Smokeless Tobacco Use Among Adults	10	4	25	0	No Change
	FDA Checks Failed (state total/county rate)	30	2,670	15	-11.8	Improved
	Nicotine-Related Hospitalizations	40	433,992	17,444	+6.4	Worsened
<b>OPIOID</b>  Domain Rank 12	EMS Naloxone Administrations	14	124	88	-24.8	Improved
	Opioid Prescriptions Dispensed	14	73,098	68,891	-18.2	Improved
	Opioid-Involved Overdose Deaths	22	17	10	-7.4	Improved
	Opioid-Related Hospitalizations	15	130	140	-12.5	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 5	HIV Incidence	31	15	15	+114.3	Worsened
	Hepatitis C Incidence	3	127	63	-16	Improved
	Chlamydia Incidence	7	681	499	+15	Worsened
	Gonorrhea Incidence	6	277	162	+9.5	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 28	Alcohol	34	19,984	616	+26.5	Increased
	Nicotine	8	9,636	53	+12.8	Increased
	Marijuana	35	16,960	548	+13	Increased
	Opiates	18	6,945	91	-12.5	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.



# CALHOUN

OVERALL RANK - 4						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 2	Binge Drinking Among Adults	1	16	**	N/A	N/A
	Heavy Use of Alcohol Among Adults	1	6	**	N/A	N/A
	Alcohol-Involved Fatal Traffic Crashes	2	656	4	-33.3	Improved
	Alcohol-Related Hospitalizations	3	50,423	104	-5.5	Improved
<b>NICOTINE</b>  Domain Rank 6	Cigarette Use Among Adults	1	19	**	N/A	N/A
	Smokeless Tobacco Use Among Adults	1	4	**	N/A	N/A
	FDA Checks Failed (state total/county rate)	45	2,670	33	+266.7	Worsened
	Nicotine-Related Hospitalizations	2	433,992	532	-33.3	Improved
<b>OPIOID</b>  Domain Rank 13	EMS Naloxone Administrations	15	124	90	-40	Improved
	Opioid Prescriptions Dispensed	18	73,098	74,814	-13.4	Improved
	Opioid-Involved Overdose Deaths	32	17	18	N/A	N/A
	Opioid-Related Hospitalizations	4	130	50	+25	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 2	HIV Incidence	1	15	***	N/A	N/A
	Hepatitis C Incidence	7	127	76	+58.3	Worsened
	Chlamydia Incidence	10	681	537	+5.3	Worsened
	Gonorrhea Incidence	11	277	204	+25	Worsened
<b>TREATMENT SERVICES****</b>  Domain Rank 31	Alcohol	30	19,984	537	+3.7	Increased
	Nicotine	34	9,636	414	+7	Increased
	Marijuana	32	16,960	498	+4	Increased
	Opiates	20	6,945	115	+6.5	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were less than 200 respondents in the county.

\*\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\*\* Treatment figures include Bamberg, Calhoun, and Orangeburg counties, which are served by the same agency.

# CHARLESTON

OVERALL RANK - 43						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 46	Binge Drinking Among Adults	45	16	22	0	No Change
	Heavy Use of Alcohol Among Adults	45	6	10	+5.3	Worsened
	Alcohol-Involved Fatal Traffic Crashes	43	656	39	0	No Change
	Alcohol-Related Hospitalizations	46	50,423	5,013	-3.3	Improved
<b>NICOTINE</b>  Domain Rank 29	Cigarette Use Among Adults	16	19	17	-7.4	Improved
	Smokeless Tobacco Use Among Adults	19	4	3	0	No Change
	FDA Checks Failed (state total/county rate)	33	2,670	19	-5	Improved
	Nicotine-Related Hospitalizations	41	433,992	23,315	+8.8	Worsened
<b>OPIOID</b>  Domain Rank 22	EMS Naloxone Administrations	27	124	110	-11.3	Improved
	Opioid Prescriptions Dispensed	1	73,098	47,144	-26	Improved
	Opioid-Involved Overdose Deaths	41	17	24	+9	Worsened
	Opioid-Related Hospitalizations	14	130	130	-18.8	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 34	HIV Incidence	38	15	21	-4.5	Improved
	Hepatitis C Incidence	30	127	125	-13.2	Improved
	Chlamydia Incidence	27	681	714	+4.8	Worsened
	Gonorrhea Incidence	19	277	253	+20.1	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 44	Alcohol	43	19,984	1,715	-1.8	Decreased
	Nicotine	46	9,636	1,710	+3.6	Increased
	Marijuana	43	16,960	1,312	+7	Increased
	Opiates	43	6,945	778	-0.4	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# CHEROKEE

OVERALL RANK - 17						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 5	Binge Drinking Among Adults	1	16	**	N/A	N/A
	Heavy Use of Alcohol Among Adults	1	6	**	N/A	N/A
	Alcohol-Involved Fatal Traffic Crashes	2	656	8	-20	Improved
	Alcohol-Related Hospitalizations	15	50,423	353	-28.8	Improved
<b>NICOTINE</b>  Domain Rank 7	Cigarette Use Among Adults	1	19	**	N/A	N/A
	Smokeless Tobacco Use Among Adults	1	4	**	N/A	N/A
	FDA Checks Failed (state total/county rate)	20	2,670	10	+66.7	Worsened
	Nicotine-Related Hospitalizations	35	433,992	11,805	-9.5	Improved
<b>OPIOID</b>  Domain Rank 32	EMS Naloxone Administrations	38	124	163	-9.9	Improved
	Opioid Prescriptions Dispensed	43	73,098	117,338	-10.3	Improved
	Opioid-Involved Overdose Deaths	11	17	4	+89.5	Worsened
	Opioid-Related Hospitalizations	9	130	70	-46.2	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 41	HIV Incidence	32	15	16	N/A	N/A
	Hepatitis C Incidence	34	127	131	-7.1	Improved
	Chlamydia Incidence	36	681	937	+38.2	Worsened
	Gonorrhea Incidence	44	277	545	+50.2	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 15	Alcohol	8	19,984	160	-14.4	Decreased
	Nicotine	27	9,636	153	-15.9	Decreased
	Marijuana	15	16,960	202	-3	Decreased
	Opiates	12	6,945	46	-23.3	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were less than 200 respondents in the county.

# CHESTER

OVERALL RANK - 30						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 31	Binge Drinking Among Adults	29	16	14	+50	Worsened
	Heavy Use of Alcohol Among Adults	36	6	7	+80.5	Worsened
	Alcohol-Involved Fatal Traffic Crashes	31	656	15	+150	Worsened
	Alcohol-Related Hospitalizations	16	50,423	369	+3.4	Worsened
<b>NICOTINE</b>  Domain Rank 38	Cigarette Use Among Adults	44	19	28	+34.2	Worsened
	Smokeless Tobacco Use Among Adults	43	4	7	0	No Change
	FDA Checks Failed (state total/county rate)	8	2,670	5	-28.6	Improved
	Nicotine-Related Hospitalizations	20	433,992	4,654	-11.6	Improved
<b>OPIOID</b>  Domain Rank 40	EMS Naloxone Administrations	43	124	245	+41.6	Worsened
	Opioid Prescriptions Dispensed	38	73,098	100,105	-16	Improved
	Opioid-Involved Overdose Deaths	24	17	11	-29.6	Improved
	Opioid-Related Hospitalizations	17	130	160	+23.1	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 14	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	29	127	124	-34.4	Improved
	Chlamydia Incidence	30	681	731	+6.3	Worsened
	Gonorrhea Incidence	10	277	195	+8.6	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 11	Alcohol	15	19,984	270	+117.7	Increased
	Nicotine	23	9,636	101	+98	Increased
	Marijuana	8	16,960	169	+156	Increased
	Opiates	8	6,945	36	+350	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

# CHESTERFIELD

OVERALL RANK - 20						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 9	Binge Drinking Among Adults	13	16	10	-13.3	Improved
	Heavy Use of Alcohol Among Adults	12	6	3	-43.3	Improved
	Alcohol-Involved Fatal Traffic Crashes	2	656	7	-36.4	Improved
	Alcohol-Related Hospitalizations	19	50,423	412	+39.7	Worsened
<b>NICOTINE</b>  Domain Rank 39	Cigarette Use Among Adults	46	19	30	+3.7	Worsened
	Smokeless Tobacco Use Among Adults	39	4	6	0	No Change
	FDA Checks Failed (state total/county rate)	13	2,670	7	+75	Worsened
	Nicotine-Related Hospitalizations	18	433,992	3,396	+85.2	Worsened
<b>OPIOID</b>  Domain Rank 17	EMS Naloxone Administrations	19	124	92	+61.4	Worsened
	Opioid Prescriptions Dispensed	35	73,098	97,058	-14.6	Improved
	Opioid-Involved Overdose Deaths	10	17	1	-80.9	Improved
	Opioid-Related Hospitalizations	12	130	100	+42.9	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 18	HIV Incidence	24	15	11	N/A	N/A
	Hepatitis C Incidence	22	127	111	-22.9	Improved
	Chlamydia Incidence	18	681	616	+9.3	Worsened
	Gonorrhea Incidence	14	277	226	+3	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 25	Alcohol	23	19,984	467	+2.9	Increased
	Nicotine	3	9,636	24	+50	Increased
	Marijuana	23	16,960	408	-3	Decreased
	Opiates	36	6,945	228	+103.6	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include Chesterfield, Kershaw, and Lee counties, which are served by the same agency.

# CLARENDON

OVERALL RANK - 16						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 20	Binge Drinking Among Adults	26	16	14	+16.2	Worsened
	Heavy Use of Alcohol Among Adults	32	6	7	+115.6	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	11	+22.2	Worsened
	Alcohol-Related Hospitalizations	14	50,423	345	-12	Improved
<b>NICOTINE</b>  Domain Rank 16	Cigarette Use Among Adults	43	19	25	+24.7	Worsened
	Smokeless Tobacco Use Among Adults	14	4	4	0	No Change
	FDA Checks Failed (state total/county rate)	20	2,670	10	0	No Change
	Nicotine-Related Hospitalizations	14	433,992	2,555	-9.4	Improved
<b>OPIOID</b>  Domain Rank 29	EMS Naloxone Administrations	31	124	116	+16	Worsened
	Opioid Prescriptions Dispensed	29	73,098	87,507	-10.6	Improved
	Opioid-Involved Overdose Deaths	29	17	9	+32.3	Worsened
	Opioid-Related Hospitalizations	16	130	150	+15.4	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 15	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	10	127	80	-26.6	Improved
	Chlamydia Incidence	33	681	849	+46	Worsened
	Gonorrhea Incidence	27	277	297	+32.9	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 16	Alcohol	10	19,984	186	-1.6	Decreased
	Nicotine	28	9,636	165	-15.4	Decreased
	Marijuana	12	16,960	177	+9	Increased
	Opiates	13	6,945	56	+69.7	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions

# COLLETON

OVERALL RANK - 35						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 32	Binge Drinking Among Adults	26	16	14	-19	Improved
	Heavy Use of Alcohol Among Adults	36	6	7	+10.4	Worsened
	Alcohol-Involved Fatal Traffic Crashes	27	656	14	-17.6	Improved
	Alcohol-Related Hospitalizations	24	50,423	654	+7.9	Worsened
<b>NICOTINE</b>  Domain Rank 37	Cigarette Use Among Adults	19	19	19.3	-29	Improved
	Smokeless Tobacco Use Among Adults	27	4	5	0	No Change
	FDA Checks Failed (state total/county rate)	39	2,670	24	0	No Change
	Nicotine-Related Hospitalizations	27	433,992	7,152	-0.7	Improved
<b>OPIOID</b>  Domain Rank 38	EMS Naloxone Administrations	25	124	109	-31.9	Improved
	Opioid Prescriptions Dispensed	44	73,098	117,350	-12	Improved
	Opioid-Involved Overdose Deaths	28	17	16	+18	Worsened
	Opioid-Related Hospitalizations	17	130	160	-23.8	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 31	HIV Incidence	32	15	**	N/A	N/A
	Hepatitis C Incidence	16	127	104	-7.1	Improved
	Chlamydia Incidence	32	681	830	+20	Worsened
	Gonorrhea Incidence	24	277	279	+20	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 5	Alcohol	2	19,984	103	-41.5	Decreased
	Nicotine	7	9,636	43	+1333.3	Increased
	Marijuana	6	16,960	114	-38	Decreased
	Opiates	7	6,945	35	-55.7	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

# DARLINGTON

OVERALL RANK - 28						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 22	Binge Drinking Among Adults	12	16	10	-25	Improved
	Heavy Use of Alcohol Among Adults	14	6	4	-7.3	Improved
	Alcohol-Involved Fatal Traffic Crashes	26	656	13	0	No Change
	Alcohol-Related Hospitalizations	25	50,423	422	-9.1	Improved
<b>NICOTINE</b>  Domain Rank 14	Cigarette Use Among Adults	18	19	18	-35.2	Improved
	Smokeless Tobacco Use Among Adults	33	4	5	-0.5	Improved
	FDA Checks Failed (state total/county rate)	10	2,670	6	-45.5	Improved
	Nicotine-Related Hospitalizations	23	433,992	5,642	+27.9	Worsened
<b>OPIOID</b>  Domain Rank 36	EMS Naloxone Administrations	2	124	48	-65	Improved
	Opioid Prescriptions Dispensed	46	73,098	126,454	-13.1	Improved
	Opioid-Involved Overdose Deaths	17	17	8	-35.7	Improved
	Opioid-Related Hospitalizations	44	130	220	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 45	HIV Incidence	40	15	24	+14.3	Worsened
	Hepatitis C Incidence	38	127	156	-10.9	Improved
	Chlamydia Incidence	35	681	904	+3.8	Worsened
	Gonorrhea Incidence	43	277	505	+42.3	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 9	Alcohol	9	19,984	179	+43.2	Increased
	Nicotine	14	9,636	58	+1.8	Increased
	Marijuana	13	16,960	178	+29	Increased
	Opiates	15	6,945	74	+60.9	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.



# DILLON

OVERALL RANK - 27						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 11	Binge Drinking Among Adults	8	16	6	+12	Worsened
	Heavy Use of Alcohol Among Adults	24	6	5	+82.8	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	7	-12.5	Improved
	Alcohol-Related Hospitalizations	20	50,423	422	+0.7	Worsened
<b>NICOTINE</b>  Domain Rank 29	Cigarette Use Among Adults	40	19	23	-19.6	Improved
	Smokeless Tobacco Use Among Adults	37	4	6	-0.1	Improved
	FDA Checks Failed (state total/county rate)	23	2,670	11	-26.7	Improved
	Nicotine-Related Hospitalizations	10	433,992	1640	+2.2	Worsened
<b>OPIOID</b>  Domain Rank 24	EMS Naloxone Administrations	12	124	82	-46.8	Improved
	Opioid Prescriptions Dispensed	41	73,098	108,366	-12.1	Improved
	Opioid-Involved Overdose Deaths	23	17	11	-32.9	Improved
	Opioid-Related Hospitalizations	11	130	90	-35.7	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 37	HIV Incidence	32	15	16	-30.4	Improved
	Hepatitis C Incidence	19	127	108	-17.6	Improved
	Chlamydia Incidence	43	681	1076	+7.8	Worsened
	Gonorrhea Incidence	37	277	355	+22.5	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 22	Alcohol	17	19,984	293	+80.9	Increased
	Nicotine	20	9,636	95	+187.9	Increased
	Marijuana	18	16,960	314	+98	Increased
	Opiates	29	6,945	157	+145	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include Dillon, Marion, and Marlboro counties, which are served by the same agency

# DORCHESTER

OVERALL RANK - 33						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 37	Binge Drinking Among Adults	34	16	16	+14.6	Worsened
	Heavy Use of Alcohol Among Adults	26	6	6	-8.1	Improved
	Alcohol-Involved Fatal Traffic Crashes	30	656	15	-6.3	Improved
	Alcohol-Related Hospitalizations	35	50,423	1,617	-2.9	Improved
<b>NICOTINE</b>  Domain Rank 29	Cigarette Use Among Adults	15	19	16.5	-22	Improved
	Smokeless Tobacco Use Among Adults	21	4	3	0	No Change
	FDA Checks Failed (state total/county rate)	35	2,670	20	+33.3	Worsened
	Nicotine-Related Hospitalizations	39	433,992	14,953	+0.9	Worsened
<b>OPIOID</b>  Domain Rank 24	EMS Naloxone Administrations	23	124	97	-35.3	Improved
	Opioid Prescriptions Dispensed	12	73,098	67,689	-19.5	Improved
	Opioid-Involved Overdose Deaths	36	17	19	+47.3	Worsened
	Opioid-Related Hospitalizations	16	130	150	-21.1	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank	HIV Incidence	15	15	13	0	No Change
	Hepatitis C Incidence	14	127	101	-4.7	Improved
	Chlamydia Incidence	8	681	588	+9.5	Worsened
	Gonorrhea Incidence	10	277	191	+26	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 36	Alcohol	37	19,984	897	+13.4	Increased
	Nicotine	33	9,636	329	+40.6	Increased
	Marijuana	37	16,960	832	+50	Increased
	Opiates	35	6,945	207	+37	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# EDGEFIELD

OVERALL RANK - 9						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 16	Binge Drinking Among Adults	24	16	13	+26.2	Worsened
	Heavy Use of Alcohol Among Adults	35	6	7	+188	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	1	-50	Improved
	Alcohol-Related Hospitalizations	4	50,423	116	-14.1	Improved
<b>NICOTINE</b>  Domain Rank 7	Cigarette Use Among Adults	11	19	15	-41.4	Improved
	Smokeless Tobacco Use Among Adults	34	4	5	0	No Change
	FDA Checks Failed (state total/county rate)	1	2,670	0	-100	Improved
	Nicotine-Related Hospitalizations	11	433,992	1,800	+7	Worsened
<b>OPIOID</b>  Domain Rank 2	EMS Naloxone Administrations	11	124	81	-32.5	Improved
	Opioid Prescriptions Dispensed	5	73,098	57,659	-16.5	Improved
	Opioid-Involved Overdose Deaths	1	17	0	-100	Improved
	Opioid-Related Hospitalizations	5	130	60	+50	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 35	HIV Incidence	42	15	26	N/A	N/A
	Hepatitis C Incidence	44	127	225	+3.7	Worsened
	Chlamydia Incidence	9	681	513	-12.2	Improved
	Gonorrhea Incidence	22	277	266	0	No Change
<b>TREATMENT SERVICES**</b>  Domain Rank 18	Alcohol	26	19,984	508	+8.8	Increased
	Nicotine	10	9,636	57	+171.4	Increased
	Marijuana	24	16,960	423	-6	Decreased
	Opiates	19	6,945	109	+13.5	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include all the counties served by Cornerstone (Abbeville, Edgefield, Greenwood, McCormick).

# FAIRFIELD

OVERALL RANK - 7						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank <b>4</b>	Binge Drinking Among Adults	1	16	**	N/A	N/A
	Heavy Use of Alcohol Among Adults	1	6	**	N/A	N/A
	Alcohol-Involved Fatal Traffic Crashes	2	656	8	+14.3	Worsened
	Alcohol-Related Hospitalizations	13	50,423	315	+15.8	Worsened
<b>NICOTINE</b>  Domain Rank <b>2</b>	Cigarette Use Among Adults	1	19	**	N/A	N/A
	Smokeless Tobacco Use Among Adults	1	4	**	N/A	N/A
	FDA Checks Failed (state total/county rate)	1	2,670	0	-100	Improved
	Nicotine-Related Hospitalizations	13	433,992	2,539	+0.7	Worsened
<b>OPIOID</b>  Domain Rank <b>23</b>	EMS Naloxone Administrations	46	124	455	+30.4	Worsened
	Opioid Prescriptions Dispensed	24	73,098	83,457	-9.6	Improved
	Opioid-Involved Overdose Deaths	1	17	0	-100	Improved
	Opioid-Related Hospitalizations	14	130	130	-7.1	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank <b>36</b>	HIV Incidence	39	15	22	0	No Change
	Hepatitis C Incidence	39	127	179	+22.6	Worsened
	Chlamydia Incidence	22	681	668	-10.7	Improved
	Gonorrhea Incidence	23	277	274	+6.9	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank <b>7</b>	Alcohol	3	19,984	112	-11.1	Decreased
	Nicotine	24	9,636	104	-8	Decreased
	Marijuana	5	16,960	90	-4	Decreased
	Opiates	4	6,945	14	+27.3	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were less than 200 respondents in the county.

# FLORENCE

OVERALL RANK - 45						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 30	Binge Drinking Among Adults	18	16	11.1	-15.3	Improved
	Heavy Use of Alcohol Among Adults	14	6	4	-22.4	Improved
	Alcohol-Involved Fatal Traffic Crashes	39	656	26	+23.8	Worsened
	Alcohol-Related Hospitalizations	38	50,423	1,767	+3.5	Worsened
<b>NICOTINE</b>  Domain Rank 42	Cigarette Use Among Adults	38	19	23	-0.6	Improved
	Smokeless Tobacco Use Among Adults	23	4	4	0	No Change
	FDA Checks Failed (state total/county rate)	28	2,670	13	+8.3	Worsened
	Nicotine-Related Hospitalizations	34	433,992	11,762	+0.1	Worsened
<b>OPIOID</b>  Domain Rank 4	EMS Naloxone Administrations	36	124	130	-9.1	Improved
	Opioid Prescriptions Dispensed	36	73,098	98,693	-10.8	Improved
	Opioid-Involved Overdose Deaths	34	17	19	-6.9	Improved
	Opioid-Related Hospitalizations	18	130	170	-5.6	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 43	HIV Incidence	35	15	20	-20	Improved
	Hepatitis C Incidence	41	127	186	+7.5	Worsened
	Chlamydia Incidence	34	681	857	+0.8	Worsened
	Gonorrhea Incidence	40	277	382	+10	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 39	Alcohol	36	19,984	722	-7.9	Decreased
	Nicotine	40	9,636	513	+14.5	Increased
	Marijuana	36	16,960	633	-10	Decreased
	Opiates	39	6,945	298	+0.3	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# GEORGETOWN

OVERALL RANK - 26						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 28	Binge Drinking Among Adults	30	16	14	-11.1	Improved
	Heavy Use of Alcohol Among Adults	43	6	9.1	+3.4	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	3	-62.5	Improved
	Alcohol-Related Hospitalizations	31	50,423	905	+6.5	Worsened
<b>NICOTINE</b>  Domain Rank 16	Cigarette Use Among Adults	26	19	21	-7.3	Improved
	Smokeless Tobacco Use Among Adults	22	4	3.4	0	No Change
	FDA Checks Failed (state total/county rate)	25	2,670	12	-29.4	Improved
	Nicotine-Related Hospitalizations	17	433,992	3,354	-3.6	Improved
<b>OPIOID</b>  Domain Rank 46	EMS Naloxone Administrations	45	124	316	+40.4	Worsened
	Opioid Prescriptions Dispensed	25	73,098	85,113	-18.5	Improved
	Opioid-Involved Overdose Deaths	45	17	29	+4	Worsened
	Opioid-Related Hospitalizations	46	130	370	+2.8	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 20	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	20	127	109	-35.1	Improved
	Chlamydia Incidence	23	681	685	+12.2	Worsened
	Gonorrhea Incidence	35	277	343	+1	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 8	Alcohol	12	19,984	219	-15.4	Decreased
	Nicotine	1	9,636	15	0	No Change
	Marijuana	14	16,960	197	-6	Decreased
	Opiates	18	6,945	91	-11.7	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

# GREENVILLE

OVERALL RANK - 41						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 38	Binge Drinking Among Adults	20	16	13	-4.5	Improved
	Heavy Use of Alcohol Among Adults	19	6	5	-4.1	Improved
	Alcohol-Involved Fatal Traffic Crashes	46	656	47	+2.2	Worsened
	Alcohol-Related Hospitalizations	43	50,423	4,279	+1.3	Worsened
<b>NICOTINE</b>  Domain Rank 28	Cigarette Use Among Adults	14	19	16.4	-7.4	Improved
	Smokeless Tobacco Use Among Adults	14	4	2.8	0	No Change
	FDA Checks Failed (state total/county rate)	31	2,670	16	+128.6	Worsened
	Nicotine-Related Hospitalizations	46	433,992	47,719	-12.6	Improved
<b>OPIOID</b>  Domain Rank 34	EMS Naloxone Administrations	37	124	158	-6.5	Improved
	Opioid Prescriptions Dispensed	10	73,098	64,607	-14.8	Improved
	Opioid-Involved Overdose Deaths	43	17	26.4	+79.6	Worsened
	Opioid-Related Hospitalizations	15	130	140	+7.7	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 25	HIV Incidence	27	15	14	+7.7	Worsened
	Hepatitis C Incidence	29	127	124	-17.3	Improved
	Chlamydia Incidence	11	681	561	+8.8	Worsened
	Gonorrhea Incidence	21	277	262	+2.3	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 41	Alcohol	44	19,984	2,480	-2.3	Decreased
	Nicotine	26	9,636	118	+34.1	Increased
	Marijuana	44	16,960	1,937	-4	Decreased
	Opiates	46	6,945	1,127	+5.6	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.



# GREENWOOD

OVERALL RANK - 36						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 27	Binge Drinking Among Adults	38	16	17	+33.3	Worsened
	Heavy Use of Alcohol Among Adults	29	6	6.4	+23.1	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	8	-20	Improved
	Alcohol-Related Hospitalizations	29	50,423	882	-15.3	Improved
<b>NICOTINE</b>  Domain Rank 29	Cigarette Use Among Adults	39	19	23	+6.7	Worsened
	Smokeless Tobacco Use Among Adults	26	4	5	0	No Change
	FDA Checks Failed (state total/county rate)	10	2,670	6	-50	Improved
	Nicotine-Related Hospitalizations	33	433,992	11,162	+44	Worsened
<b>OPIOID</b>  Domain Rank 43	EMS Naloxone Administrations	34	124	123	-15.2	Improved
	Opioid Prescriptions Dispensed	21	73,098	80,238	-13.3	Improved
	Opioid-Involved Overdose Deaths	44	17	28	+24.2	Worsened
	Opioid-Related Hospitalizations	43	130	200	+17.6	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 28	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	37	127	155	-27.9	Improved
	Chlamydia Incidence	26	681	709	+17.8	Worsened
	Gonorrhea Incidence	28	277	299	+3.5	Worsened
<b>TREATMENT SERVICES***</b>  Domain Rank 18	Alcohol	26	19,984	508	+8.8	Increased
	Nicotine	10	9,636	57	+171.4	Increased
	Marijuana	24	16,960	423	-6	Decreased
	Opiates	19	6,945	109	+13.5	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\* Treatment figures include all the counties served by Cornerstone (Abbeville, Edgefield, Greenwood, McCormick).

# HAMPTON

OVERALL RANK - 12						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PRECENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 24	Binge Drinking Among Adults	43	16	19	N/A	N/A
	Heavy Use of Alcohol Among Adults	31	6	6.6	N/A	N/A
	Alcohol-Involved Fatal Traffic Crashes	1	656	0	-100	Improved
	Alcohol-Related Hospitalizations	9	50,423	206	-17.9	Improved
<b>NICOTINE</b>  Domain Rank 16	Cigarette Use Among Adults	42	19	23	N/A	N/A
	Smokeless Tobacco Use Among Adults	1	4	**	N/A	N/A
	FDA Checks Failed (state total/county rate)	39	2,670	24	-27.3	Improved
	Nicotine-Related Hospitalizations	7	433,992	1,086	-13.6	Improved
<b>OPIOID</b>  Domain Rank 20	EMS Naloxone Administrations	20	124	93	-39.6	Improved
	Opioid Prescriptions Dispensed	27	73,098	86,616	-14.3	Improved
	Opioid-Involved Overdose Deaths	15	17	7	N/A	N/A
	Opioid-Related Hospitalizations	18	130	170	+13.3	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 24	HIV Incidence	1	15	***	N/A	N/A
	Hepatitis C Incidence	43	127	217	+223.9	Worsened
	Chlamydia Incidence	24	681	689	+4.6	Worsened
	Gonorrhea Incidence	16	277	245	-7.7	Improved
<b>TREATMENT SERVICES****</b>  Domain Rank 2	Alcohol	4	19,984	121	+42.4	Increased
	Nicotine	15	9,636	68	+58.1	Increased
	Marijuana	1	16,960	86	+43	Increased
	Opiates	1	6,945	11	+120	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were fewer than 200 respondents in the county.

\*\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\*\* Treatment figures include Allendale, Hampton, and Jasper counties, which are all served by the same agency.

# HORRY

OVERALL RANK - 44						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 41	Binge Drinking Among Adults	31	16	15	-3.3	Improved
	Heavy Use of Alcohol Among Adults	38	6	8	+11.8	Worsened
	Alcohol-Involved Fatal Traffic Crashes	42	656	37	-26	Improved
	Alcohol-Related Hospitalizations	45	50,423	4,900	+3.1	Worsened
<b>NICOTINE</b>  Domain Rank 29	Cigarette Use Among Adults	21	19	19	-12.4	Improved
	Smokeless Tobacco Use Among Adults	15	4	2.9	-3.3	Improved
	FDA Checks Failed (state total/county rate)	29	2,670	14	0	No Change
	Nicotine-Related Hospitalizations	44	433,992	36,569	+14.9	Worsened
<b>OPIOID</b>  Domain Rank 44	EMS Naloxone Administrations	42	124	202	-2.4	Improved
	Opioid Prescriptions Dispensed	20	73,098	77,816	-19.7	Improved
	Opioid-Involved Overdose Deaths	26	17	29	+7.8	Worsened
	Opioid-Related Hospitalizations	45	130	240	-4	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 32	HIV Incidence	38	15	21	-12.5	Improved
	Hepatitis C Incidence	42	127	194	-13.4	Improved
	Chlamydia Incidence	12	681	562	+2.4	Worsened
	Gonorrhea Incidence	13	277	223	-20.4	Improved
<b>TREATMENT SERVICES</b>  Domain Rank 43	Alcohol	40	19,984	1,057	+25.2	Increased
	Nicotine	43	9,636	976	+47.9	Increased
	Marijuana	40	16,960	929	+32	Increased
	Opiates	41	6,945	460	+50.8	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# JASPER

OVERALL RANK - 8						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 14	Binge Drinking Among Adults	35	16	16	+96.3	Worsened
	Heavy Use of Alcohol Among Adults	15	6	4	+144.4	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	9	+80	Worsened
	Alcohol-Related Hospitalizations	12	50,423	266	+25.5	Worsened
<b>NICOTINE</b>  Domain Rank 16	Cigarette Use Among Adults	32	19	21.3	-16.3	Improved
	Smokeless Tobacco Use Among Adults	9	4	0.6	0	No Change
	FDA Checks Failed (state total/county rate)	44	2,670	32	+128.6	Worsened
	Nicotine-Related Hospitalizations	5	433,992	800	-6.4	Improved
<b>OPIOID</b>  Domain Rank 28	EMS Naloxone Administrations	30	124	114	-47.7	Improved
	Opioid Prescriptions Dispensed	8	73,098	64,009	-14.1	Improved
	Opioid-Involved Overdose Deaths	42	17	25.4	+103.2	Worsened
	Opioid-Related Hospitalizations	14	130	130	+44.4	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 16	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	14	127	90	-20.4	Improved
	Chlamydia Incidence	28	681	724	+0.5	Worsened
	Gonorrhea Incidence	31	277	320	+5.8	Worsened
<b>TREATMENT SERVICES***</b>  Domain Rank 2	Alcohol	4	19,984	121	+42.4	Increased
	Nicotine	15	9,636	68	+58.1	Increased
	Marijuana	1	16,960	86	+43	Increased
	Opiates	1	6,945	11	+120	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\* Treatment figures include Allendale, Hampton, and Jasper counties, all of which are served by the same agency.

# KERSHAW

OVERALL RANK - 18						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RTE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 28	Binge Drinking Among Adults	9	16	7	-42.2	Improved
	Heavy Use of Alcohol Among Adults	41	6	8	+74.5	Worsened
	Alcohol-Involved Fatal Traffic Crashes	28	656	14	+40	Worsened
	Alcohol-Related Hospitalizations	28	50,423	717	+27.6	Worsened
<b>NICOTINE</b>  Domain Rank 22	Cigarette Use Among Adults	30	19	21	-20.6	Improved
	Smokeless Tobacco Use Among Adults	24	4	4	0	No Change
	FDA Checks Failed (state total/county rate)	18	2,670	9	-10	Improved
	Nicotine-Related Hospitalizations	29	433,992	8,373	-1.4	Improved
<b>OPIOID</b>  Domain Rank 25	EMS Naloxone Administrations	10	124	81	+19.1	Worsened
	Opioid Prescriptions Dispensed	28	73,098	87,373	-12.6	Improved
	Opioid-Involved Overdose Deaths	37	17	19	+203	Worsened
	Opioid-Related Hospitalizations	15	130	140	+16.7	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 4	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	30	127	125	-23.3	Improved
	Chlamydia Incidence	6	681	487	+7.8	Worsened
	Gonorrhea Incidence	3	277	140	+15.1	Worsened
<b>TREATMENT SERVICES***</b>  Domain Rank 25	Alcohol	23	19,984	467	+2.9	Increased
	Nicotine	3	9,636	24	+50	Increased
	Marijuana	23	16,960	408	-3	Decreased
	Opiates	36	6,945	228	+103.6	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\* Treatment figures include Chesterfield, Kershaw, and Lee counties, all of which are served by the same agency.

# LANCASTER

OVERALL RANK - 9						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 10	Binge Drinking Among Adults	15	16	10	-21.8	Improved
	Heavy Use of Alcohol Among Adults	13	6	4	-24.5	Improved
	Alcohol-Involved Fatal Traffic Crashes	2	656	9	0	No Change
	Alcohol-Related Hospitalizations	23	50,423	612	-10.4	Improved
<b>NICOTINE</b>  Domain Rank 29	Cigarette Use Among Adults	34	19	22	-4.5	Improved
	Smokeless Tobacco Use Among Adults	40	4	6	0	No Change
	FDA Checks Failed (state total/county rate)	16	2,670	8	+300	Worsened
	Nicotine-Related Hospitalizations	19	433,992	4,188	-26.6	Improved
<b>OPIOID</b>  Domain Rank 15	EMS Naloxone Administrations	26	124	109	-50.5	Improved
	Opioid Prescriptions Dispensed	7	73,098	61,204	-15.8	Improved
	Opioid-Involved Overdose Deaths	27	17	15	-44.2	Improved
	Opioid-Related Hospitalizations	13	130	110	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 7	HIV Incidence	18	15	7	-22.2	Improved
	Hepatitis C Incidence	36	127	151	+7.9	Worsened
	Chlamydia Incidence	1	681	380	+10.7	Worsened
	Gonorrhea Incidence	1	277	105	+49.3	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 17	Alcohol	16	19,984	279	+13.4	Increased
	Nicotine	18	9,636	75	+341.2	Increased
	Marijuana	16	16,960	224	+77	Increased
	Opiates	16	6,945	77	+4.1	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# LAURENS

OVERALL RANK - 40						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 26	Binge Drinking Among Adults	11	16	9	-17	Improved
	Heavy Use of Alcohol Among Adults	16	6	5	+27.8	Worsened
	Alcohol-Involved Fatal Traffic Crashes	34	656	19	+72.7	Worsened
	Alcohol-Related Hospitalizations	26	50,423	679	-0.3	Improved
<b>NICOTINE</b>  Domain Rank 46	Cigarette Use Among Adults	45	19	30	+9.4	Worsened
	Smokeless Tobacco Use Among Adults	41	4	6	0	No Change
	FDA Checks Failed (state total/county rate)	42	2,670	27	+50	Worsened
	Nicotine-Related Hospitalizations	37	433,992	13,313	+5.7	Worsened
<b>OPIOID</b>  Domain Rank 42	EMS Naloxone Administrations	41	124	196	-1.5	Improved
	Opioid Prescriptions Dispensed	42	73,098	109,228	-12.5	Improved
	Opioid-Involved Overdose Deaths	34	17	19	+111.2	Worsened
	Opioid-Related Hospitalizations	16	130	150	-16.7	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 22	HIV Incidence	18	15	7	-46.2	Improved
	Hepatitis C Incidence	35	127	140	+12.9	Worsened
	Chlamydia Incidence	16	681	595	+10	Worsened
	Gonorrhea Incidence	12	277	206	+10.4	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 29	Alcohol	20	19,984	305	-8.4	Decreased
	Nicotine	31	9,636	223	+38.5	Increased
	Marijuana	21	16,960	316	+2	Increased
	Opiates	28	6,945	156	+110.8	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.



# LEE

OVERALL RANK - 6						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 6	Binge Drinking Among Adults	1	16	**	N/A	N/A
	Heavy Use of Alcohol Among Adults	8	6	2	+12.5	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	6	-14.3	Improved
	Alcohol-Related Hospitalizations	10	50,423	236	-15.4	Improved
<b>NICOTINE</b>  Domain Rank 10	Cigarette Use Among Adults	1	19	**	N/A	N/A
	Smokeless Tobacco Use Among Adults	15	4	3	0	No Change
	FDA Checks Failed (state total/county rate)	37	2,670	21	+950	Worsened
	Nicotine-Related Hospitalizations	12	433,992	1,927	-2.1	Improved
<b>OPIOID</b>  Domain Rank 5	EMS Naloxone Administrations	6	124	70	-79.8	Improved
	Opioid Prescriptions Dispensed	17	73,098	74,035	-17.6	Improved
	Opioid-Involved Overdose Deaths	1	17	0	-100	Improved
	Opioid-Related Hospitalizations	17	130	160	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 25	HIV Incidence	1	15	***	N/A	N/A
	Hepatitis C Incidence	2	127	53	-29.3	Improved
	Chlamydia Incidence	44	681	1118	+6.6	Worsened
	Gonorrhea Incidence	41	277	438	+24.6	Worsened
<b>TREATMENT SERVICES****</b>  Domain Rank 25	Alcohol	23	19,984	467	+2.9	Increased
	Nicotine	3	9,636	24	+50	Increased
	Marijuana	23	16,960	408	-3	Decreased
	Opiates	36	6,945	228	+103.6	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were fewer than 200 respondents in the county.

\*\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\*\* Treatment figures include Chesterfield, Kershaw, and Lee counties, which are served by the same agency.

# LEXINGTON

OVERALL RANK - 34						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 45	Binge Drinking Among Adults	46	16	22	+35.8	Worsened
	Heavy Use of Alcohol Among Adults	44	6	10	+9	Worsened
	Alcohol-Involved Fatal Traffic Crashes	45	656	41	+7.9	Worsened
	Alcohol-Related Hospitalizations	41	50,423	2,309	-9.4	Improved
<b>NICOTINE</b>  Domain Rank 16	Cigarette Use Among Adults	20	19	19	-1.4	Improved
	Smokeless Tobacco Use Among Adults	32	4	+5	0	No Change
	FDA Checks Failed (state total/county rate)	5	2,670	4	-55.6	Improved
	Nicotine-Related Hospitalizations	32	433,992	10,544	-48.5	Improved
<b>OPIOID</b>  Domain Rank 14	EMS Naloxone Administrations	15	124	89	-17.6	Improved
	Opioid Prescriptions Dispensed	19	73,098	75,105	-12.4	Improved
	Opioid-Involved Overdose Deaths	26	17	15	+18.9	Worsened
	Opioid-Related Hospitalizations	12	130	100	-9.1	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 21	HIV Incidence	25	15	12	-33.3	Improved
	Hepatitis C Incidence	17	127	105	-3.7	Improved
	Chlamydia Incidence	21	681	656	+30.3	Worsened
	Gonorrhea Incidence	17	277	245	+23.1	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 45	Alcohol	45	19,984	2,734	+4.2	Increased
	Nicotine	44	9,636	1,325	+77.1	Increased
	Marijuana	45	16,960	2,391	+16	Increased
	Opiates	44	6,945	998	+24	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include both counties served by LRADAC (Lexington and Richland).

# MARION

OVERALL RANK - 19						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 14	Binge Drinking Among Adults	33	16	15	+42.6	Worsened
	Heavy Use of Alcohol Among Adults	28	6	6	+44.2	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	4	-42.9	Improved
	Alcohol-Related Hospitalizations	1	50,423	153	+9.3	Worsened
<b>NICOTINE</b>  Domain Rank 23	Cigarette Use Among Adults	35	19	22	-18.7	Improved
	Smokeless Tobacco Use Among Adults	46	4	7	0	No Change
	FDA Checks Failed (state total/county rate)	18	2,670	9	-43.8	Worsened
	Nicotine-Related Hospitalizations	3	433,992	820	+22.4	Worsened
<b>OPIOID</b>  Domain Rank 9	EMS Naloxone Administrations	7	124	106	-55.1	Improved
	Opioid Prescriptions Dispensed	6	73,098	99,360	-15	Improved
	Opioid-Involved Overdose Deaths	40	17	0	0	No Change
	Opioid-Related Hospitalizations	3	130	180	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 39	HIV Incidence	35	15	**	N/A	N/A
	Hepatitis C Incidence	23	127	85	+63.5	Worsened
	Chlamydia Incidence	39	681	1,016	-0.3	Improved
	Gonorrhea Incidence	39	277	364	-13	Improved
<b>TREATMENT SERVICES***</b>  Domain Rank 22	Alcohol	17	19,984	293	+80.9	Increased
	Nicotine	20	9,636	95	+187.9	Increased
	Marijuana	18	16,960	314	+98	Increased
	Opiates	29	6,945	157	+145.3	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\* Treatment figures include Dillon, Marion, and Marlboro counties, which are served by the same agency.

# MARLBORO

OVERALL RANK - 13						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 8	Binge Drinking Among Adults	10	16	9	+8.7	Worsened
	Heavy Use of Alcohol Among Adults	11	6	3	-11.8	Improved
	Alcohol-Involved Fatal Traffic Crashes	2	656	2	-60	Improved
	Alcohol-Related Hospitalizations	22	50,423	68	-1.4	Improved
<b>NICOTINE</b>  Domain Rank 41	Cigarette Use Among Adults	37	19	23	-24.4	Improved
	Smokeless Tobacco Use Among Adults	18	4	3	+0.3	Worsened
	FDA Checks Failed (state total/county rate)	46	2,670	75	N/A	N/A
	Nicotine-Related Hospitalizations	21	433,992	622	-0.5	Improved
<b>OPIOID</b>  Domain Rank 18	EMS Naloxone Administrations	35	124	74	-52.9	Improved
	Opioid Prescriptions Dispensed	39	73,098	59,075	-10.8	Improved
	Opioid-Involved Overdose Deaths	1	17	20	N/A	N/A
	Opioid-Related Hospitalizations	4	130	40	-55.6	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 6	HIV Incidence	1	15	19	0	No Change
	Hepatitis C Incidence	45	127	113	+3.7	Worsened
	Chlamydia Incidence	3	681	969	-7.8	Improved
	Gonorrhea Incidence	5	277	380	+30.7	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 18	Alcohol	26	19,984	508	+8.8	Increased
	Nicotine	10	9,636	57	+171.4	Increased
	Marijuana	24	16,960	423	-6	Decreased
	Opiates	19	6,945	109	+13.5	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include Dillon, Marion, and Marlboro counties, which are served by the same agency.

# McCORMICK

OVERALL RANK - 21						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank <b>17</b>	Binge Drinking Among Adults	19	16	12	-5.4	Improved
	Heavy Use of Alcohol Among Adults	42	6	9	+43.3	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	2	-50	Improved
	Alcohol-Related Hospitalizations	7	50,423	439	-2.8	Improved
<b>NICOTINE</b>  Domain Rank <b>11</b>	Cigarette Use Among Adults	27	19	21	+58.8	Worsened
	Smokeless Tobacco Use Among Adults	8	4	0.5	0	No Change
	FDA Checks Failed (state total/county rate)	38	2,670	23	+76.9	Worsened
	Nicotine-Related Hospitalizations	6	433,992	4,733	-12.3	Improved
<b>OPIOID</b>  Domain Rank <b>33</b>	EMS Naloxone Administrations	24	124	126	-34.4	Improved
	Opioid Prescriptions Dispensed	37	73,098	101,476	-14.6	Improved
	Opioid-Involved Overdose Deaths	1	17	0	-100	Improved
	Opioid-Related Hospitalizations	40	130	50	-37.5	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank <b>27</b>	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	12	127	273	0	No Change
	Chlamydia Incidence	40	681	419	-13	Improved
	Gonorrhea Incidence	38	277	157	-6.2	Improved
<b>TREATMENT SERVICES***</b>  Domain Rank <b>22</b>	Alcohol	17	19,984	293	+80.9	Increased
	Nicotine	20	9,636	95	+187.9	Increased
	Marijuana	18	16,960	314	+98	Increased
	Opiates	29	6,945	157	+145.3	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\*\* Treatment figures include all counties served by Cornerstone (Abbeville, Edgefield, Greenwood, McCormick).

# NEWBERRY

OVERALL RANK - 23						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 23	Binge Drinking Among Adults	36	16	16	+103.8	Worsened
	Heavy Use of Alcohol Among Adults	27	6	6	+76.5	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	6	+100	Worsened
	Alcohol-Related Hospitalizations	17	50,423	371	-5.6	Improved
<b>NICOTINE</b>  Domain Rank 39	Cigarette Use Among Adults	13	19	23	+28.2	Worsened
	Smokeless Tobacco Use Among Adults	41	4	6	0	No Change
	FDA Checks Failed (state total/county rate)	38	2,670	7	-50	Improved
	Nicotine-Related Hospitalizations	24	433,992	5,690	+6.6	Worsened
<b>OPIOID</b>  Domain Rank 8	EMS Naloxone Administrations	4	124	62	+12.7	Worsened
	Opioid Prescriptions Dispensed	23	73,098	81,186	-16.7	Improved
	Opioid-Involved Overdose Deaths	12	17	4	N/A	N/A
	Opioid-Related Hospitalizations	15	130	140	+4	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 33	HIV Incidence	26	15	13	N/A	N/A
	Hepatitis C Incidence	11	127	83	+10.7	Worsened
	Chlamydia Incidence	37	681	938	+14.3	Worsened
	Gonorrhea Incidence	33	277	338	+47.8	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 12	Alcohol	13	19,984	249	+11.7	Increased
	Nicotine	29	9,636	205	+38.5	Increased
	Marijuana	9	16,960	170	+10	Increased
	Opiates	8	6,945	36	+63.6	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include Newberry and Saluda counties, which are served by the same agency.

# OCONEE

OVERALL RANK - 37						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 17	Binge Drinking Among Adults	19	16	12	+29.8	Worsened
	Heavy Use of Alcohol Among Adults	22	6	5	+18.6	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	11	+37.5	Worsened
	Alcohol-Related Hospitalizations	27	50,423	698	+23.1	Worsened
<b>NICOTINE</b>  Domain Rank 43	Cigarette Use Among Adults	43	19	22	+29.5	Worsened
	Smokeless Tobacco Use Among Adults	33	4	5	0	No Change
	FDA Checks Failed (state total/county rate)	27	2,670	31	+158.3	Worsened
	Nicotine-Related Hospitalizations	31	433,992	10,231	+3.5	Worsened
<b>OPIOID</b>  Domain Rank 39	EMS Naloxone Administrations	22	124	97	-10.2	Improved
	Opioid Prescriptions Dispensed	40	73,098	105,139	-13.7	Improved
	Opioid-Involved Overdose Deaths	39	17	20	-13.6	Improved
	Opioid-Related Hospitalizations	15	130	140	-6.7	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 11	HIV Incidence	22	15	10	+25	Worsened
	Hepatitis C Incidence	25	127	121	+15.2	Worsened
	Chlamydia Incidence	2	681	401	-2.2	Improved
	Gonorrhea Incidence	15	277	232	+55.7	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 37	Alcohol	38	19,984	923	-21.7	Decreased
	Nicotine	41	9,636	881	-10.7	Decreased
	Marijuana	38	16,960	835	-1.9	Decreased
	Opiates	33	6,945	188	-21.7	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include Anderson and Oconee counties, which are served by the same agency.



# ORANGEBURG

OVERALL RANK - 30						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 35	Binge Drinking Among Adults	23	16	13	-12.8	Improved
	Heavy Use of Alcohol Among Adults	27	6	6	+39.5	Worsened
	Alcohol-Involved Fatal Traffic Crashes	36	656	22	+15.8	Worsened
	Alcohol-Related Hospitalizations	32	50,423	917	-5.4	Improved
<b>NICOTINE</b>  Domain Rank 15	Cigarette Use Among Adults	16	19	21	+19.3	Worsened
	Smokeless Tobacco Use Among Adults	31	4	2.5	0	No Change
	FDA Checks Failed (state total/county rate)	13	2,670	8	+60	Worsened
	Nicotine-Related Hospitalizations	25	433,992	5,838	-10	Improved
<b>OPIOID</b>  Domain Rank 10	EMS Naloxone Administrations	13	124	86	+53.6	Worsened
	Opioid Prescriptions Dispensed	16	73,098	73,399	-14.1	Improved
	Opioid-Involved Overdose Deaths	21	17	10	+108.7	Worsened
	Opioid-Related Hospitalizations	10	130	80	-11.1	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 43	HIV Incidence	46	15	37	+12.1	Worsened
	Hepatitis C Incidence	13	127	86	0	No Change
	Chlamydia Incidence	45	681	1159	+4.1	Worsened
	Gonorrhea Incidence	46	277	600	+54.4	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 31	Alcohol	30	19,984	537	+3.7	Increased
	Nicotine	34	9,636	414	+7	Increased
	Marijuana	32	16,960	498	+4	Increased
	Opiates	20	6,945	115	+6.5	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include Bamberg, Calhoun, and Orangeburg counties, which are served by the same agency.

# PICKENS

OVERALL RANK - 39						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 24	Binge Drinking Among Adults	39	16	18	+147.9	Worsened
	Heavy Use of Alcohol Among Adults	10	6	3	+3.6	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	11	-26.7	Improved
	Alcohol-Related Hospitalizations	33	50,423	981	+19.6	Worsened
<b>NICOTINE</b>  Domain Rank 45	Cigarette Use Among Adults	33	19	22	+33	Worsened
	Smokeless Tobacco Use Among Adults	36	4	7	0	No Change
	FDA Checks Failed (state total/county rate)	43	2,670	19	+72.7	Worsened
	Nicotine-Related Hospitalizations	38	433,992	13,764	+17.7	Worsened
<b>OPIOID</b>  Domain Rank 45	EMS Naloxone Administrations	44	124	248	-11.7	Improved
	Opioid Prescriptions Dispensed	32	73,098	89,867	-11.6	Improved
	Opioid-Involved Overdose Deaths	37	17	19.4	+16.2	Worsened
	Opioid-Related Hospitalizations	41	130	190	+26.7	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 12	HIV Incidence	27	15	14	+250	Worsened
	Hepatitis C Incidence	21	127	110	-3.5	Improved
	Chlamydia Incidence	8	681	507	+16.2	Worsened
	Gonorrhea Incidence	9	277	193	+31.4	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 34	Alcohol	22	19,984	325	-15.6	Decreased
	Nicotine	39	9,636	460	-8.2	Decreased
	Marijuana	30	16,960	451	+2	Increased
	Opiates	32	6,945	174	+2.4	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# RICHLAND

OVERALL RANK - 38						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 44	Binge Drinking Among Adults	37	16	17	-9.2	Improved
	Heavy Use of Alcohol Among Adults	40	6	8	+6.7	Worsened
	Alcohol-Involved Fatal Traffic Crashes	44	656	40	+17.6	Worsened
	Alcohol-Related Hospitalizations	44	50,423	4,779	-3.9	Improved
<b>NICOTINE</b>  Domain Rank 16	Cigarette Use Among Adults	25	19	16	-26.9	Improved
	Smokeless Tobacco Use Among Adults	12	4	2.1	0	No Change
	FDA Checks Failed (state total/county rate)	10	2,670	12	-7.7	Improved
	Nicotine-Related Hospitalizations	43	433,992	32,477	-1	Improved
<b>OPIOID</b>  Domain Rank 7	EMS Naloxone Administrations	8	124	79	-8.1	Improved
	Opioid Prescriptions Dispensed	3	73,098	50,217	-11.8	Improved
	Opioid-Involved Overdose Deaths	25	17	12	-31.3	Improved
	Opioid-Related Hospitalizations	12	130	100	+11.1	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 46	HIV Incidence	43	15	27	-10	Improved
	Hepatitis C Incidence	39	127	179	+23.4	Worsened
	Chlamydia Incidence	42	681	1,053	+10.1	Worsened
	Gonorrhea Incidence	42	277	454	+13.7	Worsened
<b>TREATMENT SERVICES**</b>  Domain Rank 45	Alcohol	45	19,984	2,732	+4.2	Increased
	Nicotine	44	9,636	1,325	+77.1	Increased
	Marijuana	45	16,960	2,391	+16	Increased
	Opiates	44	6,945	998	+24	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Treatment figures include both counties served by LRADAC (Lexington and Richland).

# SALUDA

OVERALL RANK - 1						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 12	Binge Drinking Among Adults	17	16	11	+3.8	Worsened
	Heavy Use of Alcohol Among Adults	32	6	7	+27.8	Worsened
	Alcohol-Involved Fatal Traffic Crashes	2	656	2	-33.3	Improved
	Alcohol-Related Hospitalizations	5	50,423	119	-4	Improved
<b>NICOTINE</b>  Domain Rank 9	Cigarette Use Among Adults	1	19	13	-12.4	Improved
	Smokeless Tobacco Use Among Adults	8	4	7	0	No Change
	FDA Checks Failed (state total/county rate)	45	2,670	0	-100	Improved
	Nicotine-Related Hospitalizations	8	433,992	1,164	+10.5	Worsened
<b>OPIOID</b>  Domain Rank 1	EMS Naloxone Administrations	1	124	44	-72.8	Improved
	Opioid Prescriptions Dispensed	11	73,098	64,836	-10.9	Improved
	Opioid-Involved Overdose Deaths	1	17	0	-100	Improved
	Opioid-Related Hospitalizations	5	130	66	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 1	HIV Incidence	1	15	**	N/A	N/A
	Hepatitis C Incidence	1	127	39	+14.7	Worsened
	Chlamydia Incidence	4	681	465	+32	Worsened
	Gonorrhea Incidence	2	277	132	+8	Worsened
<b>TREATMENT SERVICES***</b>  Domain Rank 12	Alcohol	13	19,984	249	+11.7	Increased
	Nicotine	29	9,636	205	+38.5	Increased
	Marijuana	9	16,960	170	+10	Increased
	Opiates	8	6,945	36	+63.6	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Values less than 5 are suppressed due to confidentiality restrictions.

\*\* Treatment figures include Newberry and Saluda counties, which are served by the same agency.

# SPARTANBURG

OVERALL RANK - 42						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 33	Binge Drinking Among Adults	16	16	11	+4.9	Worsened
	Heavy Use of Alcohol Among Adults	16	6	5	+53.3	Worsened
	Alcohol-Involved Fatal Traffic Crashes	40	656	31	-27.9	Improved
	Alcohol-Related Hospitalizations	42	50,423	2,960	+2.5	Worsened
<b>NICOTINE</b>  Domain Rank 36	Cigarette Use Among Adults	13	19	20	-16.9	Improved
	Smokeless Tobacco Use Among Adults	22	4	5	0	No Change
	FDA Checks Failed (state total/county rate)	31	2,670	7	+16.7	Worsened
	Nicotine-Related Hospitalizations	45	433,992	37,442	-0.9	Improved
<b>OPIOID</b>  Domain Rank 37	EMS Naloxone Administrations	39	124	172	-2.8	Improved
	Opioid Prescriptions Dispensed	26	73,098	86,597	-15.4	Improved
	Opioid-Involved Overdose Deaths	33	17	18	+20.3	Worsened
	Opioid-Related Hospitalizations	15	130	140	-12.5	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank 23	HIV Incidence	22	15	10	+42.9	Worsened
	Hepatitis C Incidence	25	127	121	-7.6	Improved
	Chlamydia Incidence	17	681	611	+8	Worsened
	Gonorrhea Incidence	18	277	253	+5.6	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 41	Alcohol	41	19,984	1,213	-4.3	Increased
	Nicotine	38	9,636	445	+73.8	Increased
	Marijuana	41	16,960	968	-7	Decreased
	Opiates	40	6,945	364	0	No Change

\* Percent change signifies change in value from previous year of data to most recent year of data.

# SUMTER

OVERALL RANK - 24						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 34	Binge Drinking Among Adults	28	16	14	+29.2	Worsened
	Heavy Use of Alcohol Among Adults	22	6	5.1	+37.8	Worsened
	Alcohol-Involved Fatal Traffic Crashes	32	656	16	0	No Change
	Alcohol-Related Hospitalizations	34	50,423	1,032	-7.7	Improved
<b>NICOTINE</b>  Domain Rank 16	Cigarette Use Among Adults	8	19	21	+7.9	Worsened
	Smokeless Tobacco Use Among Adults	28	4	3.1	0	No Change
	FDA Checks Failed (state total/county rate)	19	2,670	5	-37.5	Improved
	Nicotine-Related Hospitalizations	36	433,992	13,147	+2.5	Worsened
<b>OPIOID</b>  Domain Rank 10	EMS Naloxone Administrations	9	124	79	-16	Improved
	Opioid Prescriptions Dispensed	9	73,098	64,513	-11.5	Improved
	Opioid-Involved Overdose Deaths	31	17	17	+200	Worsened
	Opioid-Related Hospitalizations	11	130	90	+12.5	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 42	HIV Incidence	41	15	25	+13.6	Worsened
	Hepatitis C Incidence	33	127	126	-3.1	Improved
	Chlamydia Incidence	38	681	947	+32.6	Worsened
	Gonorrhea Incidence	36	277	344	+10.8	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 14	Alcohol	21	19,984	322	-26.7	Decreased
	Nicotine	9	9,636	56	0	No Change
	Marijuana	17	16,960	256	-31	Decreased
	Opiates	13	6,945	56	-26.3	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

\*\* Value suppressed if there were fewer than 200 respondents in the county.

# UNION

OVERALL RANK - 11						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank <b>7</b>	Binge Drinking Among Adults	1	16	**	N/A	N/A
	Heavy Use of Alcohol Among Adults	1	6	**	N/A	N/A
	Alcohol-Involved Fatal Traffic Crashes	2	656	3	-40	Improved
	Alcohol-Related Hospitalizations	18	50,423	402	+3.1	Worsened
<b>NICOTINE</b>  Domain Rank <b>5</b>	Cigarette Use Among Adults	10	19	**	N/A	N/A
	Smokeless Tobacco Use Among Adults	1	4	**	N/A	N/A
	FDA Checks Failed (state total/county rate)	1	2,670	6	+20	Worsened
	Nicotine-Related Hospitalizations	28	433,992	7,214	+22.3	Worsened
<b>OPIOID</b>  Domain Rank <b>25</b>	EMS Naloxone Administrations	29	124	113	-47.4	Improved
	Opioid Prescriptions Dispensed	45	73,098	122,123	-16.8	Improved
	Opioid-Involved Overdose Deaths	1	17	0	-100	Improved
	Opioid-Related Hospitalizations	15	130	140	-30	Improved
<b>INFECTIOUS DISEASE</b>  Domain Rank <b>37</b>	HIV Incidence	44	15	29	N/A	N/A
	Hepatitis C Incidence	24	127	117	+0.9	Worsened
	Chlamydia Incidence	29	681	726	+1	Worsened
	Gonorrhea Incidence	34	277	341	+5.6	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank <b>6</b>	Alcohol	7	19,984	144	-33.6	Decreased
	Nicotine	6	9,636	41	-77.6	Decreased
	Marijuana	9	16,960	170	-25	Decreased
	Opiates	6	6,945	29	-45.3	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.



# WILLIAMSBURG

OVERALL RANK - 29						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 19	Binge Drinking Among Adults	14	16	10	+25.3	Worsened
	Heavy Use of Alcohol Among Adults	9	6	2.5	-30.6	Improved
	Alcohol-Involved Fatal Traffic Crashes	29	656	15	+200	Worsened
	Alcohol-Related Hospitalizations	21	50,423	456	+18	Worsened
<b>NICOTINE</b>  Domain Rank 29	Cigarette Use Among Adults	32	19	20	-24.1	Improved
	Smokeless Tobacco Use Among Adults	24	4	6	0	No Change
	FDA Checks Failed (state total/county rate)	36	2,670	18	+28.6	Worsened
	Nicotine-Related Hospitalizations	16	433,992	3,260	+45.2	Worsened
<b>OPIOID</b>  Domain Rank 35	EMS Naloxone Administrations	18	124	91	-23.5	Improved
	Opioid Prescriptions Dispensed	31	73,098	89,538	-14	Improved
	Opioid-Involved Overdose Deaths	18	17	8.5	-57.9	Improved
	Opioid-Related Hospitalizations	41	130	190	+18.8	Worsened
<b>INFECTIOUS DISEASE</b>  Domain Rank 40	HIV Incidence	45	15	33	-5.7	Improved
	Hepatitis C Incidence	46	127	291	-11.8	Improved
	Chlamydia Incidence	25	681	697	-2.3	Improved
	Gonorrhea Incidence	29	277	302	-6	Improved
<b>TREATMENT SERVICES</b>  Domain Rank 10	Alcohol	11	19,984	197	-17.2	Decreased
	Nicotine	24	9,636	104	-34.6	Decreased
	Marijuana	7	16,960	146	-18	Decreased
	Opiates	11	6,945	39	-27.8	Decreased

\* Percent change signifies change in value from previous year of data to most recent year of data.

# YORK

OVERALL RANK - 24						
DOMAIN	MEASURE	COUNTY RANK	STATE VALUE/RATE	COUNTY VALUE/RATE	COUNTY PERCENT CHANGE*	COUNTY STATUS CHANGE
<b>ALCOHOL</b>  Domain Rank 40	Binge Drinking Among Adults	40	16	18	+20.1	Worsened
	Heavy Use of Alcohol Among Adults	30	6	7	+8.3	Worsened
	Alcohol-Involved Fatal Traffic Crashes	38	656	24	+60	Worsened
	Alcohol-Related Hospitalizations	39	50,423	1,790	+12.1	Worsened
<b>NICOTINE</b>  Domain Rank 12	Cigarette Use Among Adults	5	19	21	+17.5	Worsened
	Smokeless Tobacco Use Among Adults	29	4	5	0	No Change
	FDA Checks Failed (state total/county rate)	27	2,670	4	-20	Improved
	Nicotine-Related Hospitalizations	22	433,992	4,796	+29.8	Worsened
<b>OPIOID</b>  Domain Rank 11	EMS Naloxone Administrations	14	124	90	+9.8	Worsened
	Opioid Prescriptions Dispensed	4	73,098	53,065	-16.7	Improved
	Opioid-Involved Overdose Deaths	29	17	16	-5.3	Improved
	Opioid-Related Hospitalizations	11	130	90	0	No Change
<b>INFECTIOUS DISEASE</b>  Domain Rank 13	HIV Incidence	20	15	8	-33.3	Improved
	Hepatitis C Incidence	28	127	123	+7	Worsened
	Chlamydia Incidence	13	681	586	+12.8	Worsened
	Gonorrhea Incidence	7	277	182	+17.5	Worsened
<b>TREATMENT SERVICES</b>  Domain Rank 40	Alcohol	42	19,984	1,334	-0.3	Decreased
	Nicotine	32	9,636	290	+152.2	Increased
	Marijuana	42	16,960	1,014	-2	Decreased
	Opiates	42	6,945	662	+12.8	Increased

\* Percent change signifies change in value from previous year of data to most recent year of data

# DATA SOURCES

Section	Domain	Measure	Source	Years
County Profile on Determinants of Substance Use	Social Environment	Child Maltreatment	South Carolina Department of Social Services (SC DSS)	2017-2018
		Single Parent Home	2019 County Health Rankings South Carolina	2013-2017
		Social Associations	2019 County Health Rankings South Carolina	2016
		Violent Crime Index	South Carolina Law Enforcement Division (SLED)	2018
	Economic Environment	Income Inequality	2019 County Health Rankings South Carolina	2013-2017
		4-year High-School Graduation	South Carolina Department of Education (SC DOE)	2017
		Unemployed	United States Department of Labor	2018
		Children in Poverty	2019 County Health Rankings South Carolina	2017
	Access to Health-Related Sources	Uninsured	2019 County Health Rankings South Carolina	2016
		Food Insecurity	2019 County Health Rankings South Carolina	2016
		Primary Care Physicians	2019 County Health Rankings South Carolina	2016
		Mental Health Providers	2019 County Health Rankings South Carolina	2018
	County Profile on Substance Use	Alcohol	Binge Drinking Past 30 Days (Adults)	SC Behavioral Risk Factor Surveillance System (BRFSS), South Carolina Department of Health and Environmental Control (SC DHEC)
Heavy Drinking Past 30 Days (Adults)			BRFSS, SC DHEC	2013-2015, 2016-2018
Fatal Crashes			South Carolina Department of Public Safety, 2017 Collision Fact Books	2014-2015, 2016-2017
Hospitalization (Inpatient & ER)			South Carolina Revenue and Fiscal Affairs Office (SC RFA)	2017, 2018
Nicotine		Current Cigarette User (Adults)	BRFSS, SC DHEC	2013-2015, 2016-2018
		Current Smokeless Tobacco User (Adults)	BRFSS, SC DHEC	2013-2015, 2016-2018
		FDA Compliance Check Inspections of Tobacco Product Retailers	United States Food & Drug Administration (FDA)	2017, 2018
		Hospitalization (Inpatient & ER)	South Carolina Revenue and Fiscal Affairs Office	2017, 2018
Opioid		Opioid Prescriptions Dispensed	Prescription Drug Monitoring Program, SC DHEC	2017, 2018
		EMS Naloxone Administrations	Emergency Medical Services (EMS) Bureau, SC DHEC	2017, 2018
		Overdose Deaths	Division of Biostatistics, Vital Statistics, SC DHEC	2017, 2018
		Hospitalization (Inpatient & ER)	SC RFA	2017, 2018
Infectious Disease		HIV (Incidence)	SC DHEC	2017, 2018
		Hepatitis C (Incidence)	SC DHEC	2017, 2018
		Chlamydia (Incidence)	SC DHEC	2017, 2018
		Gonorrhea (Incidence)	SC DHEC	2017, 2018
Treatment Services		Alcohol	SC DAODAS	2017, 2018
		Marijuana	SC DAODAS	2017, 2018
		Opiates	SC DAODAS	2017, 2018
		Nicotine	SC DAODAS	2017, 2018